

SHIPBOARD

SCIF Fixed Facility Checklist

Organization Name:

FFC Date:

CLASSIFY ACCORDING TO CLASSIFICATION AUTHORITY

CHECK Applicable blocks		
<input type="checkbox"/> Initial Accreditation	<input type="checkbox"/> Re- Accreditation	<input type="checkbox"/> Modified Facility
<input type="checkbox"/> Pre-construction	<input type="checkbox"/> Final FFC Accreditation	<input type="checkbox"/> Page Change

Checklist Contents

Section A: General information

Section B: Security-in-Depth

Section C: Intrusion Detection Systems (IDS)

Section D: Telecommunication Systems and Equipment Baseline

Section E: Classified Destruction Methods

Section F: TEMPEST/Technical Security

List of Attachments

(Diagrams must be submitted)

Section A: General Information

1. SCIF Data			
a.	Organization/Company Name		
b.	Name of Ship and Hull number		
c.	Home Port		
d.	SCIF ID Number		
e.	Contract Number and Expiration		
f.	Date <i>(if applicable)</i>		
g.	Concept Approval Date		
h.	Cognizant Security Authority (CSA)		
Defense Special Security Communication System Information <i>(if applicable)</i>			
i.	DSSCS Message Address		
j.	DSSCS INFO Address		
k.	If no DSSCS Message Address, please provide passing instructions		
l.	Location of Compartments		
2. Complete Mailing Address			
Street Address		Building Name	
Floor(s)	Suite(s)	Room(s) #	
City		Base/Post	
State/Country ST		Zip Code	
4. Responsible Security Personnel			
	PRIMARY	ALTERNATE	
Name			
Commercial Phone			
DSN Phone			
Secure Phone			
STE Other Phone			
Other Telephone			
Home <i>(optional)</i>			
Facsimile Numbers:	Classified	Unclassified	
Command or Regional Special Security Office/Name (SSO) <i>(if applicable)</i>			
Commercial Phone			
Other Phone			
Information System Security Officer Name			
Commercial Telephone			
Secure Telephone			

5. E-Mail Address of Responsible Security Personnel			
Classified	Network/System Name & Level		
Unclassified	Network/System Name		
Other	Network/System Name		
6. Accreditation Data (Ref Chapter: 12E)			
a. Category/Compartments of SCI Requested:			
1) Indicate storage requirement:			
<input type="checkbox"/> Open	<input type="checkbox"/> Closed	<input type="checkbox"/> Continuous Operation	<input type="checkbox"/> None
2) Indicate the facility type			
<input type="checkbox"/> Permanent	<input type="checkbox"/> Temporary	<input type="checkbox"/> Secure Working Area	<input type="checkbox"/> TSWA
b. Existing Accreditation Information (if applicable)			
1) SCIF accesses required			
Accreditation granted by:		On:	
3) Waivers:			
3) Co-Use Agreements			<input type="checkbox"/> Yes <input type="checkbox"/> No
If yes, provide sponsor:			
c. SAP(s) co-located within SCIF			<input type="checkbox"/> Yes <input type="checkbox"/> No
If yes, identify SAP Classification level (check all that apply)			
<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret	<input type="checkbox"/> Secret	<input type="checkbox"/> Confidential
c. SCIF Duty Hours	Hours to Hours:	Days Per Week:	
d. Total square footage that the SCIF occupies:			
e. Has or will CSA requested any waivers?			<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If yes, attach a copy of approved waiver			
7. Construction/Modification (Ref: Chapter 3B)			
a. Is construction or modification complete?			<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If no, enter the expected date of completion:			
8. Inspections (Ref: Chapter 12G) (ALL INSPECTION REPORTS MUST BE ATTACHED)			
a. TSCM Service completed by:			On
Were deficiencies corrected?			<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If NO, explain:			
b. Last physical security inspection by:			On
Were deficiencies corrected?			<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A

If NO, explain:	
c. Last Staff Assistance Visit by:	On

9. REMARKS:

Section B: Physical Security

1. Decks, bulkheads and overhead construction

Are the decks, bulkheads and overhead constructed of aluminum plate or standards shipboard material true floor to ceiling?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
--	------------------------------	-----------------------------

2. Security In-Depth

What external security attributes and/or features should the CSA consider before determining whether or not this facility has Security In-Depth? *Please identify/explain all factors:*

3. How is access to the SCIF controlled (Ref: Chapter 8)

a. By Guard Force	<input type="checkbox"/> Yes	<input type="checkbox"/> No
If yes, what is their minimum security clearance level?	<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret
b. Is Guard Force Armed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. By assigned personnel?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
If yes, do personnel have visual control of SCIF entrance door?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

d. By access control device?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
If yes, what kind?	<input type="checkbox"/> Automated access control system	<input type="checkbox"/> Non-Automated	
If Non-Automated			
1. Is there a by-pass key?		<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A
■ If yes, how is the by-pass key protected?			
2. Manufacturer:		Model:	
<i>(Explain in Remarks if more space is required)</i>			
If Automated			
1. Is there a by-pass key?		<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A
■ If yes, how is the by-pass key protected?			
2. Manufacturer:		Model:	
<i>(Explain in Remarks if more space is required)</i>			
3. Are access control transmission lines protected by 128-bit encryption/FIBS 140?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
If no, explain the physical protection provide			
4. Is automated access control system located within a SCIF or an alarmed area controlled at the SECRET level?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
5. Is the access control system encoded and is ID data and PINs restricted to SCI-indoctrinated personnel?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
6. Does external access control outside SCIF have tamper protection?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
7. Is the access control device integrated with IDS		<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A
8. Is the access control device integrated with a LAN/WAN System?		<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A
4. Primary Entrance Door			
a. Is routine ingress and egress to the space through one door?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Is the shipboard type door constructed IAW ICS 705-1,?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Is door constructed of aluminum/steel plate or standard shipboard materials?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
d. Is door equipped with a combination lock that meets requirements of a Pedestrian Deadbolt Federal Specifications FF-L-2890?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
Include lock manufacturer, model and group			
Manufacturer	Model	Group Rating	
e. Is door equipped with an access control device		<input type="checkbox"/> Yes	<input type="checkbox"/> No
f. Is door constructed in a manner which will preclude unauthorized removal of hinge pins and anchor bolts, as well as obstruct access to lock-in bolts between door and frame?		<input type="checkbox"/> Yes	<input type="checkbox"/> No

	g. Remarks:		
--	-------------	--	--

5. Emergency Exit

	a. Is space equipped with an emergency exit?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	b. Has the emergency exit been fabricated of aluminum/steel plate or standard shipboard materials?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	c. Has door(s) been mounted in a frame braced and welded in place in a manner commensurate with structural characteristics of the bulkhead, deck or overhead in which it is located?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	d. Has the emergency exit been constructed in a manner which will preclude unauthorized removal of hinge pins and anchor bolts, as well as obstructs access to lock-in bolts between door and frame?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	e. Remarks		

6. Restrictions on Damage Control Fittings and Cable

	a. Are any essential damage control fittings or cables located within or pass through the SCIF?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	b. Remarks		

7. Removable Hatches and Deck Plates

	a. Are hatches and deck plates less than 10 square feet that are secured by exposed nuts and bolts (external to SCIF) secured with high security padlocks?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	b. If key padlocks are used, are the keys stored in a security container located with a space under appropriate security control?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	c. Remarks:		

8. Vent and Duct Barriers

	a. Are vents, ducts, louvers, or other physical perimeter barrier openings with a cross sectional dimension greater than 96 square inches protected at the perimeter with a fixed barrier or security grill?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	b. If gratings or bars are used, are they welded in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	c. Remarks:		

9. Acoustical Isolation		
a. Is the physical perimeter of the SCIF sealed or insulated with non-hardening caulking material so as to prevent inadvertent disclosure of SCI discussions or briefings from within the SCIF?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. In instances where the physical perimeter barrier is not sufficient to control voices or sounds, is the use of sound deadening material installed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Do air handling units have continuous duty blowers or provide an effective level of sound masking in each air path?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
d. Remarks:		
10. Visual Isolation		
a. Are doors or other openings in the physical perimeter barrier through which the interior may be viewed screened or curtailed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Remarks:		
11. Passing Windows and Scuttles		
a. Have passing windows and scuttles been eliminated from the SCIF?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Remarks:		
12. Secure Storage Equipment		
a. Is the SCIF equipped with a sufficient number of GSA approved security containers?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Have they been welded in place or otherwise secured to a foundation for safety?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Remarks:		
Section C: Intrusion Detection Systems (IDS)		
1. Are SCIF access door(s) and emergency exit(s) protected by a visual and audible alarm system:		
	<input type="checkbox"/> Yes	<input type="checkbox"/> No
a. Does alarm installation consist of sensors at each door and alerting indicators located within the SCIF?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Does the emergency exit door(s) alarm have a different feature?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Does the system have an alarm monitor station which is continuously manned by personnel capable of responding to or directing a response to an alarm violation of the SCIF when it is unmanned?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
d. Remarks:		

--	--

Section D: Telecommunication Systems and Equipment Baseline

1. Is the facility declared a “No Classified Discussion Area”? (Ref: Chapter 11A)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
--	------------------------------	-----------------------------

<ul style="list-style-type: none"> ■ If yes, then the audio protection questions within this section may be identified as N/A 			
<ul style="list-style-type: none"> ■ If the facility is declared a “No Classified Discussion Area”, are warning notices posted prominently within the facility? 	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A

2. Does the facility have any unclassified telephones that are connected to the commercial public switch telephone network (PSTN)?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
---	------------------------------	-----------------------------

Identify the method of on-hook protection by completing items below

NOTE: TSG 6 approved phones can be found at the following link:
<https://www.dni.gov/files/NCSC/documents/products/TSG-Approved-Equipment-List-May-2017.pdf>

a. CNSSI 5006 (TSG-6) approved telephone or instrument	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
--	------------------------------	-----------------------------	------------------------------

(Please identify all telephone equipment/stations and/or instruments being used either below or as an attachment)

Manufacturer	Model Number	TSG Number <i>(if applicable)</i>
--------------	--------------	-----------------------------------

b. CNSSI 5006 (TSG-6) approved disconnect device?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
---	------------------------------	-----------------------------	------------------------------

1) Line disconnect?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
---------------------	------------------------------	-----------------------------	------------------------------

2) Ringer protection?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
-----------------------	------------------------------	-----------------------------	------------------------------

Manufacturer	Model Number	TSG Number <i>(if applicable)</i>
--------------	--------------	-----------------------------------

c. CNSSI 5002 (TSG-2) configured computerized telephone system (CTS)?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
---	------------------------------	-----------------------------	------------------------------

1) If yes, please provide the following information about the CTS

Manufacturer	Model Number
--------------	--------------

2) If yes, please provide specific location of the CTS

3) Is the facility protecting the CTS physically controlled?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
--	------------------------------	-----------------------------	------------------------------

<ul style="list-style-type: none"> ■ If yes, what is the clearance level (if any) of facility or area where the switch is located. 	<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret	<input type="checkbox"/> Secret
---	------------------------------	-------------------------------------	---------------------------------

■ If no facility clearance level how is the facility or area where the switch is located controlled?

4) How are all cables, signal lines and intermediate writing frames between the SCIF telephones and the CTS physically protected within a physically controlled space?

5) Are all program media, such as tapes and/or disks, from the CTS afforded physical protection from unauthorized alterations?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
6) Is an up-to-date master copy of the CTS software program maintained for confirmation and/or reloading of the operating system?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
7) Does the CTS have the capability to force or hold a telephone station off-hook?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
8) Does the CTS use remote maintenance and diagnostic procedures or other remote access features?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<p>■ If yes, explain maintenance procedures</p>		
9) Do the CTS installers and programmers have security clearances?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<p>■ If yes, at what access level (minimum established by AO)</p>	<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret
	<input type="checkbox"/> Secret	
<p>■ If no, are escorts provided?</p>	<input type="checkbox"/> Yes	<input type="checkbox"/> No
d. Is it a Voice over Internet Protocol (VOIP) phone system (IPS) (Ref CNSSI 5000)?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
		<input type="checkbox"/> N/A
1) If yes, please provide the following information about the IPS		
Manufacturer	Model Number	IPS Location
2) Do all unclassified telephones within the facility have a hold, mute and/or push-to-talk [handset] capability, (for off-hook audio protection)?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
	<input type="checkbox"/> N/A	
<p>■ If no, please explain?</p>		
3) Is access to the facility housing the IPS physically controlled?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<p>■ If yes, what is the clearance level (if any) of facility or area where the switch is located and how is the area controlled?</p>	<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret
	<input type="checkbox"/> Secret	
<p>■ If no facility clearance level how is the facility or area where the IPS is physically located controlled</p>		
4) Are all cables, signal lines and intermediate wiring frames between the SCIF telephones and the IPS physically protected or contained within a physically controlled space?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
<p>■ If no, please explain?</p>		

5) Are all program media, such as tapes and/or disks, from the IPS afforded physical protection from unauthorized alterations?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
6) Is an up-to-date master copy of the IPS software program maintained for confirmation and/or reloading of the operating system?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
7) Does the IPS have the capability to force or hold a telephone station off-hook?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
8) Does the IPS use remote maintenance and diagnostic procedures or other remote access features?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
9) Do the IPS installers and programmers have security clearances?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
■ If yes, at what access level (minimum established by AO)?	<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret
		<input type="checkbox"/> Secret
■ If no, are escorts provided?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

3. Automatic telephone call answering

a. Are there any automatic call answering devices for the telephones in the SCIF?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
1) If yes, please identify the type		
■ Voicemail/unified message service?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
■ Standalone telephone answering device (TAD)?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
2) Provide manufacturer and model number of the equipment		
Manufacturer	Model	
b. Are speakerphones/microphones enabled?		
■ If yes, has the remote room monitoring capability been disabled?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
■ Has this been approved for use by the AO?	<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A
Provide detailed configuration procedures		
■ If applicable, is the voice mail or unified messaging services configured to prevent unauthorized access from remote diagnostic ports or internal dial tone?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

4. Are any multi-function office machines (M-FOMs) used within the SCIF (M-FOMs are electronic equipment that can be used at network or standalone printers, facsimiles, and copiers)?

a. If yes, please identify the device to include (Please identify all M-FOM devices in use, either below or as an attachment) - Include a manufacture Volatile statement for each M-FOM.		
Make	Model	Serial Number
b. If yes, please identify all features and information processing level of each M-FOM		
1) Copier?	<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A
■ If yes, level(s) of information	<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret
		<input type="checkbox"/> Secret <input type="checkbox"/> Unclassified
2) Facsimile?	<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A
■ If yes, level(s) of information	<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret
		<input type="checkbox"/> Secret <input type="checkbox"/> Unclassified

3) Printer? (connected to a standalone computer or network)				<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<p style="margin-left: 20px;">■ If yes, please explain and identify the system(s) and the level(s) of information</p>						
System:		<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret	<input type="checkbox"/> Secret	<input type="checkbox"/> Unclassified	
System:		<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret	<input type="checkbox"/> Secret	<input type="checkbox"/> Unclassified	
System:		<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret	<input type="checkbox"/> Secret	<input type="checkbox"/> Unclassified	
System:		<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret	<input type="checkbox"/> Secret	<input type="checkbox"/> Unclassified	
System:		<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret	<input type="checkbox"/> Secret	<input type="checkbox"/> Unclassified	
c. Does the M-FOM have memory storage capability?				<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, what kind?	<input type="checkbox"/> Volatile (information in memory clears/erases when powered off)	<input type="checkbox"/> Non-volatile (information in memory that remains when powered off)				
d. Does the M-FOM have a digital hard drive?				<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
e. Have maintenance and disposition procedures been established?				<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
f. Does the M-FOM have voice transmission capability and/or a telephone handset?				<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<p style="margin-left: 20px;">■ If yes, how is this feature protected? Please describe</p>						
5. Are there any video teleconference (VTC) systems installed?					<input type="checkbox"/> Yes	<input type="checkbox"/> No
<p style="margin-left: 20px;">■ If yes, what level(s) of information is the VTC system processing?</p>		<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret	<input type="checkbox"/> Secret	<input type="checkbox"/> Unclassified	
6. Are all telecommunications systems, devices, features, and software documented? <i>(Attached telecommunication baseline)</i>					<input type="checkbox"/> Yes	<input type="checkbox"/> No
7. Sound Powered Telephones						
Have all sound powered telephones been eliminated from the SCIF?				<input type="checkbox"/> Yes	<input type="checkbox"/> No	
If no, answer the following questions						
a. Are there sound powered or other telephone systems in the facility which cannot connect to locations outside the SCIF?				<input type="checkbox"/> Yes	<input type="checkbox"/> No	
How Many?						
b. Are they installed and protected IAW ICS 705-1, Section E?				<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Remarks						
8. General Announcing System						

Do general announcing system loudspeakers have an audio amplifier and are the output signal line installed within the SCIF?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Remarks		

9. SCI Intercommunications Announcing Systems

Do any intercommunication type announcing systems that process SCI pass through areas outside the SCIF?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
If yes, list type, manufacturer and model		
Type	Manufacturer	Model
Remarks		

10. Commercial Interconnection Equipment

Are any commercial intercommunications equipment installed within the SCIF?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Remarks		

11. Pneumatic Tube Systems

a. Are there any pneumatic tube systems installed in the SCIF?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Are they installed IAWICS 705-1, Section E??	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Remarks		

Section E: Classified Destruction Methods

1. Destruction methods

a. Describe the method and equipment used for destruction of classified/sensitive material (if more than one method or device, use Remarks to describe. (If more than one device, use remarks to list all manufacturer and model)		
Method	Device Manufacturer	Model
b. Is a secondary method of destruction available?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Describe the location of destruction site(s) in relation to the secure facility:		

d. Describe method or procedure used for handling non-soluble classified/sensitive material at this facility:			
e. Do you have a written Emergency Action Plan (EAP) approved by CSA (if required)?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Remarks			

Section F: TEMPEST/Technical Security

1. Does the facility electronically process classified information?			<input type="checkbox"/> Yes	<input type="checkbox"/> No	
If yes, what is the highest level of information processed?	<input type="checkbox"/> SCI	<input type="checkbox"/> Top Secret	<input type="checkbox"/> Secret		
2. For the last TEMPEST Accreditation (if applicable), provide the following information					
Accreditation granted by:	On				
3. Has the CSA's Certified TEMPEST Technical Authority (CTTA) required any TEMPEST countermeasures?			<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, please identify the countermeasures that have been installed (i.e. non-conductive sections, Radio Frequency (RF) shielding, power/signal line filters, window film, etc.)					
4. Are there any other systems installed within or in close proximity to the SCIF that have RF capability (e.g., fire alarm, ground-to-air-radio, cellular tower, RF networks, etc)?			<input type="checkbox"/> Yes	<input type="checkbox"/> No	
If yes, please explain					