



# **XML Examples for IC-Docbook**

---

## **IC-Docbook-Examples**

### **Version 2018-APR**

December 1, 2022

Distribution Notice:

This document has been approved for Public Release and is available for use without restriction.

## Table of Contents

Chapter 1 - Introduction .....	1
1.1 - Purpose .....	1
Chapter 2 - Example Files .....	2
2.1 - ISMCVEnumsExample.xml .....	2
2.2 - RogersRangers.xml .....	69

## **Chapter 1 - Introduction**

### **1.1 - Purpose**

This is an informative supplement for IC-Docbook. This document provides concrete examples of XML files implementing IC-Docbook elements and attributes.

Chapter 2 - Example Files

2.1 - ISMCVEnumsExample.xml

```
<?xml-model href="../../../Schema/IC-Docbook/DocbookIC.rng" schematypens="http://relaxng.org/ns/structure/1.0"?><?xml-model href="../../../Schematron/ISM/ISM_XML.sch" type="application/xml"
schematypens="http://purl.oclc.org/dsdl/schematron"?><d:book version="5.0-variant urn:us:gov:ic:docbook-201804"
  xml:lang="en"
  ism:compliesWith="USGov USIC"
  ism:ownerProducer="USA"
  ism:classification="U"
  ism:DESVersion="202111.202211"
  ism:ISMATCESVersion="202211"
  ism:resourceElement="true"
  ism:createDate="2012-01-04"
  status="draft">
  <d:info>
    <d:author>
      <d:personname>
        <d:surname>Marking Classified National Security Information Directive No. 1</d:surname>
      </d:personname>
    </d:author>
    <d:mediaobject xml:id="image_agency">
      <d:imageobject>
        <d:imagedata fileref="./images/MIA_Logo.png" width="1.59in" align="center"/>
      </d:imageobject>
    </d:mediaobject>
    <d:subtitle>Controlled Vocabulary Enumeration Values for ISM</d:subtitle>
    <d:title>ISM-CVEnums</d:title>
    <d:productname>ISM-CVEnums</d:productname>
    <d:edition>Version 2016-SEPr2018-APR</d:edition>
    <d:author>
      <d:orgname>ODNI/IC CIO</d:orgname>
    </d:author>
    <d:pubdate>November 3, 2017</d:pubdate>
    <d:date>Target Approval Date: TBD, 2018</d:date>
    <d:releaseinfo role="footer.notice">This document is subject to distribution restrictions, see Distribution Notice for
details.</d:releaseinfo>
    <d:legalnotice ism:unregisteredNoticeType="DISTRO">
      <d:title ism:classification="U" ism:ownerProducer="USA">Distribution Notice:</d:title>
      <d:para ism:classification="U" ism:ownerProducer="USA">This document is being made available by the Intelligence Community Chief Information Officer to
Federal, State, Local, Tribal, and Foreign Partners and associated contractors. Approval for any further distribution must be
coordinated via the Intelligence Community Chief Information Officer, at ic-standards-support@iarpa.gov.</d:para>
    </d:legalnotice>
  </d:info>
  <d:chapter xml:id="CVEEnumISM25X">
    <d:title ism:ownerProducer="USA" ism:classification="U">CVEEnumISM25X for ISM</d:title>
    <d:sect1>
      <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
      <d:itemizedlist spacing="compact">
        <d:listitem>
          <d:para ism:ownerProducer="USA" ism:classification="U">Description: All currently authorized authority block declass date/event exemptions. This CVE is
used by @ism:declassException.</d:para>
        </d:listitem>
      </d:itemizedlist>
    </d:sect1>
  </d:chapter>
</d:book>
```

```
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Single-Valued</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:25x</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2012-01-04T02:15:00-04:00</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Source: Marking Classified National Security Information Directive No. 1</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
  <d:listitem>
    <d:para>Office IC CIO</d:para>
  </d:listitem>
  <d:listitem>
    <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
    </d:para>
  </d:listitem>
</d:itemizedlist>
  </d:para>
</d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
  <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
  <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CEnumISM25X.xml</d:para>
  <d:table>
    <d:title ism:ownerProducer="USA" ism:classification="U">CEnumISM25X Values</d:title>
    <d:tgroup cols="4">
      <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
      <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
      <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
      <d:colspec colnum="4" colname="last" colwidth="3.31*" />
      <d:thead>
        <d:row>
          <d:entry namest="c1" nameend="last">
            <d:para>The following table is classified UNCLASSIFIED.</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="last" align="center">
            <d:para ism:ownerProducer="USA" ism:classification="U">CEnumISM25X Values</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="c2" align="center">
            <d:para>Classification</d:para>
          </d:entry>
        </d:row>
      </d:thead>
    </d:tgroup>
  </d:table>
</d:sect1>
```

```
<d:entry morerows="1">
  <d:para>Value</d:para>
</d:entry>
<d:entry morerows="1">
  <d:para>Documentation</d:para>
</d:entry>
</d:row>
<d:row>
  <d:entry align="center">
    <d:para>Row</d:para>
  </d:entry>
  <d:entry align="center">
    <d:para>Value</d:para>
  </d:entry>
</d:row>
</d:thead>
<d:tbody>
  <d:row xml:id="md5-d2f817a434147bd94f7de0c9f9c7b949">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>AEA</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">When using a source document that contains portions of Restricted Data (RD) or Formerly
Restricted Data (FRD) where the RD/FRD source document(s) do not have declassification instructions, the
derivatively classified document shall not contain a declassification date or event on the Declassify On line. The
following shall be annotated on the Declassify On line: "Not Applicable or (N/A) to RD/FRD portions" and "See
source list for NSI portions" separated by a period. The source list must include the declassification instruction
for each of the source documents classified under E.O. 13526 and shall not appear in the classification authority
block</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-227e13be319796632f54a07e3e434cb1">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>NATO</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">Since NATO information is not to be declassified or downgraded without the prior consent of
NATO, the "Declassify on" line of documents that commingle information classified by NATO and U.S. classified NSI,
will read "N/A to NATO portions. See source list for NSI portions." The NSI source list will appear beneath the
classification authority block in a manner that clearly identifies it as separate and distinct.</d:para>
    </d:entry>
  </d:row>
```

```
<d:row xml:id="md5-f896aebeeadf60c1bef533be0295e624">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>NATO-AEA</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">Handles special case of BOTH NATO and AEA as a single exemption.</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-b9ebdaebc2cba0fc811fe00b2e597a3c">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>25X1</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">Reveal the identity of a confidential human source, a human intelligence source, a relationship with an intelligence or security service of a foreign government or international organization, or a non-human intelligence source; or impair the effectiveness of an intelligence method currently in use, available for use, or under development.</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-b08ed1a30d818b4ef5f66eac37f43c83">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>25X1-EO-12951</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">"25X1, EO 12951" (prescribed by the DNI for use on information described in E.O. 12951, Release of Imagery Acquired by Space-Based National Intelligence Reconnaissance Systems)</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-11f56e221c008ee662f68a60364e9c44">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
```



```

        <d:para>25X2</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">Reveal information that would assist in the development, production, or use of weapons of
mass destruction.</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-4cc4d8a5ae6beb5ae373806271ab3fd8">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>25X3</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">Reveal information that would impair U.S. cryptologic systems or activities.</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-66a42faed92b88d0cbb2d8a5d2983e0b">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>25X4</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">Reveal information that would impair the application of state-of-the-art technology within
a U.S. weapon system.</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-53754015d196d1f9525cc8fac5a59659">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>25X5</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">Reveal formally named or numbered U.S. military war plans that remain in effect, or reveal
operational or tactical elements of prior plans that are contained in such active plans;</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-9957d5ec7f3539b9aef47544008374dd">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>

```

```

    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>25X6</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">Reveal information, including foreign government information, that would cause serious harm
to relations between the United States and a foreign government, or to ongoing diplomatic activities of the United
States</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-3f5430885e48204f18be6ea4865d8d09">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>25X7</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">Reveal information that would impair the current ability of United States Government
officials to protect the President, Vice President, and other protectees for whom protection services, in the
interest of the national security, are authorized.</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-a989ab899371960bfaca70d10fba83e5">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>25X8</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">Reveal information that would seriously impair current national security emergency
preparedness plans or reveal current vulnerabilities of systems, installations, or infrastructures relating to the
national security.</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-4f15d090f6668d98f4f5b716fc3ac4eb">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>25X9</d:para>
    </d:entry>
  </d:row>

```

```

        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">Violate a statute, treaty, or international agreement that does not permit the automatic or
unilateral declassification of information at 25 years.</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-23c4cd6a71a432b93ec4a56572c496ba">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>50X1</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">The ISCAP has authorized use of this code in the FBI's classification guidance (which
results in a 75-year classification period) for any agency sourcing/reusing the information.</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-3cc8c02952ba44a531b07df5a783bf56">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>50X1-HUM</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">When the information clearly and demonstrably could be expected to reveal the identity of a
confidential human source or a human intelligence source.</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-b0d7fe0679c66b259dc4a9fdef33d899">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>50X2</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">Reveal information that would assist in the development, production, or use of weapons of
mass destruction.</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-0d5aa76875e3908939896a9ac98d02b5">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
    </d:row>

```

```

    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>50X2-WMD</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">When the information clearly and demonstrably could reveal key design concepts of weapons
of mass destruction.</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-f19fc9173064f84fcd7f64922e798350">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>50X3</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">Reveal information that would impair U.S. cryptologic systems or activities.</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-7437de52687bfc5932706e85d5eacd6a">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>50X4</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">Reveal information that would impair the application of state-of-the-art technology within
a U.S. weapon system.</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-df30ecfb14dd7eceabfa582f4aea3fc1">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>50X5</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">Reveal formally named or numbered U.S. military war plans that remain in effect, or reveal
operational or tactical elements of prior plans that are contained in such active plans;</d:para>
    </d:entry>
  </d:row>
</d:table>

```

```

    </d:entry>
  </d:row>
  <d:row xml:id="md5-0a657c12802fb2079d79a6b92a17f9ff">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>50X6</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">Reveal information, including foreign government information, that would cause serious harm
to relations between the United States and a foreign government, or to ongoing diplomatic activities of the United
States</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-f2948a0fffedc507c1cf99714e987985">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>50X7</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">Reveal information that would impair the current ability of United States Government
officials to protect the President, Vice President, and other protectees for whom protection services, in the
interest of the national security, are authorized.</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-5995843e62a72f2196b5fed292e14c28">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>50X8</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">Reveal information that would seriously impair current national security emergency
preparedness plans or reveal current vulnerabilities of systems, installations, or infrastructures relating to the
national security.</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-62572641c4f425297a3cf6933c7ccb09">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
  </d:row>

```

```

        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>50X9</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">Violate a statute, treaty, or international agreement that does not permit the automatic or
unilateral declassification of information at 25 years.</d:para>
        </d:entry>
    </d:row>
</d:tbody>
</d:tgroup>
</d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CVEEnumISMatomicEnergyMarkings">
    <d:title ism:ownerProducer="USA" ism:classification="U">CVEEnumISMatomicEnergyMarkings for ISM</d:title>
    <d:sect1>
        <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
        <d:itemizedlist spacing="compact">
            <d:listitem>
                <d:para ism:ownerProducer="USA" ism:classification="U">Description: All currently valid Atomic Energy information markings from the published register.
This CVE is used by @ism:atomicEnergyMarkings.</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Multi-Valued Max Values: 1000</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:atomicEnergyMarkings</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2011-02-04T00:22:00-04:00</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Source: IC Systems Register and Manual</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
                    <d:listitem>
                        <d:para>Office IC CIO</d:para>
                    </d:listitem>
                    <d:listitem>
                        <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
                    </d:para>
                </d:listitem>
            </d:itemizedlist>
        </d:para>
    </d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
```

```
<d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
<d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVENumISMatomicEnergyMarkings.xml</d:para>
<d:table>
  <d:title ism:ownerProducer="USA" ism:classification="U">CVENumISMatomicEnergyMarkings Patterns</d:title>
  <d:tgroup cols="4">
    <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
    <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
    <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
    <d:colspec colnum="4" colname="last" colwidth="3.31*" />
    <d:thead>
      <d:row>
        <d:entry namest="c1" nameend="last">
          <d:para>The following table is classified UNCLASSIFIED.</d:para>
        </d:entry>
      </d:row>
      <d:row>
        <d:entry namest="c1" nameend="last" align="center">
          <d:para ism:ownerProducer="USA" ism:classification="U">CVENumISMatomicEnergyMarkings Values</d:para>
        </d:entry>
      </d:row>
      <d:row>
        <d:entry namest="c1" nameend="c2" align="center">
          <d:para>Classification</d:para>
        </d:entry>
        <d:entry morerows="1">
          <d:para>Pattern</d:para>
        </d:entry>
        <d:entry morerows="1">
          <d:para>Documentation</d:para>
        </d:entry>
      </d:row>
      <d:row>
        <d:entry align="center">
          <d:para>Row</d:para>
        </d:entry>
        <d:entry align="center">
          <d:para>Pattern</d:para>
        </d:entry>
      </d:row>
    </d:thead>
    <d:tbody>
      <d:row xml:id="md5-b12cfd77e06ebbc58b8fc009e15b0430">
        <d:entry>
          <d:para ism:classification="U" ism:ownerProducer="USA" />
        </d:entry>
        <d:entry>
          <d:para ism:classification="U" ism:ownerProducer="USA" />
        </d:entry>
        <d:entry>
          <d:para>RD-SG-((14)|(15)|(18)|(20))</d:para>
        </d:entry>
        <d:entry>
          <d:para ism:classification="U" ism:ownerProducer="USA">RD-SIGMA-#, # represents the SIGMA number which may be 14, 15, 18, or 20.</d:para>
        </d:entry>
      </d:row>
    </d:tbody>
  </d:tgroup>
</d:table>
```



```

    </d:entry>
  </d:row>
  <d:row xml:id="md5-fc592b61f880bfdec33a5f5f3ffee612">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>FRD-SG-((14)|(15)|(18)|(20))</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">FRD-SIGMA-#, # represents the SIGMA number which may be 14, 15, 18, or 20.</d:para>
    </d:entry>
  </d:row>
</d:tbody>
</d:tgroup>
</d:table>
<d:table>
  <d:title ism:ownerProducer="USA" ism:classification="U">CVerenumISMatomicEnergyMarkings Values</d:title>
  <d:tgroup cols="4">
    <d:colspec colnum="1" colname="c1" colwidth="1.0*"/>
    <d:colspec colnum="2" colname="c2" colwidth="1.0*"/>
    <d:colspec colnum="3" colname="c3" colwidth="2.0*"/>
    <d:colspec colnum="4" colname="last" colwidth="3.31*"/>
    <d:thead>
      <d:row>
        <d:entry namest="c1" nameend="last">
          <d:para>The following table is classified UNCLASSIFIED.</d:para>
        </d:entry>
      </d:row>
      <d:row>
        <d:entry namest="c1" nameend="last" align="center">
          <d:para ism:ownerProducer="USA" ism:classification="U">CVerenumISMatomicEnergyMarkings Values</d:para>
        </d:entry>
      </d:row>
      <d:row>
        <d:entry namest="c1" nameend="c2" align="center">
          <d:para>Classification</d:para>
        </d:entry>
        <d:entry morerows="1">
          <d:para>Value</d:para>
        </d:entry>
        <d:entry morerows="1">
          <d:para>Documentation</d:para>
        </d:entry>
      </d:row>
      <d:row>
        <d:entry align="center">
          <d:para>Row</d:para>
        </d:entry>
        <d:entry align="center">
          <d:para>Value</d:para>
        </d:entry>
      </d:row>
    </d:thead>
    <d
```



```

    </d:entry>
  </d:row>
</d:thead>
<d:tbody>
  <d:row xml:id="md5-a11f475f47f0210584d10e681b2cc3b4">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>RD</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">RESTRICTED DATA</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-2015a832a939311824b61b82f9e0844b">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>RD-CNWDI</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">RD-CRITICAL NUCLEAR WEAPON DESIGN INFORMATION</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-31cb6c1f7d39c91da6d3f2ae51c5fe81">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>FRD</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">FORMERLY RESTRICTED DATA</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-52fb251445239af1abff91446a70f457">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
  </d:row>

```

```

        <d:para>DCNI</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">DoD CONTROLLED NUCLEAR INFORMATION</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-ba7b9acb008478b0fbf572d1c04ed755">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>UCNI</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">DoE CONTROLLED NUCLEAR INFORMATION</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-e341bbac5d6048615283620461cd5983">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>TFNI</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">TRANSClassified FOREIGN NUCLEAR INFORMATION</d:para>
    </d:entry>
</d:row>
</d:tbody>
</d:tgroup>
</d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CVCEnumISMAttributes">
    <d:title ism:ownerProducer="USA" ism:classification="U">CVCEnumISMAttributes for ISM</d:title>
    <d:sect1>
        <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
        <d:itemizedlist spacing="compact">
            <d:listitem>
                <d:para ism:ownerProducer="USA" ism:classification="U">Description: All currently authorized ISM attribute names. This file is not imported by the
schema.</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Multi-Valued Max Values: 36</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvcenum:ism:attributes</d:para>
            </d:listitem>
        </d:itemizedlist>
    </d:sect1>
</d:chapter>
```

```
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2010-05-30T16:52:00-04:00</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Source: ISM schema</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
  <d:listitem>
    <d:para>Office IC CIO</d:para>
  </d:listitem>
  <d:listitem>
    <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
    </d:para>
  </d:listitem>
</d:itemizedlist>
  </d:para>
</d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
  <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
  <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CEnumISMAttributes.xml</d:para>
  <d:table>
    <d:title ism:ownerProducer="USA" ism:classification="U">CEnumISMAttributes Values</d:title>
    <d:tgroup cols="4">
      <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
      <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
      <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
      <d:colspec colnum="4" colname="last" colwidth="3.31*" />
      <d:thead>
        <d:row>
          <d:entry namest="c1" nameend="last">
            <d:para>The following table is classified UNCLASSIFIED.</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="last" align="center">
            <d:para ism:ownerProducer="USA" ism:classification="U">CEnumISMAttributes Values</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="c2" align="center">
            <d:para>Classification</d:para>
          </d:entry>
          <d:entry morerows="1">
            <d:para>Value</d:para>
          </d:entry>
          <d:entry morerows="1">
            <d:para>Documentation</d:para>
          </d:entry>
        </d:row>
      </d:thead>
    </d:tgroup>
  </d:table>
```

```
</d:row>
<d:row>
  <d:entry align="center">
    <d:para>Row</d:para>
  </d:entry>
  <d:entry align="center">
    <d:para>Value</d:para>
  </d:entry>
</d:row>
</d:thead>
<d:tbody>
  <d:row xml:id="md5-7175b79da226af974a5626381732716f">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>compliesWith</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">compliesWith attribute</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-742a449bc02013eb76144dbe22abf377">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>classification</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">classification attribute</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-2240c13c4890956aef27c35423c4bc2f">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>ownerProducer</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">ownerProducer attribute</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-1993fdf573b78fb616df82421b632d9d">
```

```
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA"/>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA"/>
</d:entry>
<d:entry>
  <d:para>SCIcontrols</d:para>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA">SCIcontrols attribute</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-21e77d98375d27fa3bb506c59fa458f3">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>SARIdentifier</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">SARIdentifier attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-0e3e41f1df6ef615cc0102e6e96bf653">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>atomicEnergyMarkings</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">atomicEnergyMarkings attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-07aba32ed508fc63277298df4523d078">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>disseminationControls</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">disseminationControls attribute</d:para>
  </d:entry>
</d:row>
```

```
</d:row>
<d:row xml:id="md5-ac5643652b523be5c5a588be07530f28">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>FGISourceOpen</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">FGISourceOpen attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-5048a00d852be0428a6a9b87dcb98acb">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>FGISourceProtected</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">FGISourceProtected attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-a576eec1b21f0afecf357b617b9551d6">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>hasApproximateMarkings</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">hasApproximateMarkings attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-820c608d246727267bf2fd2b31fd386a">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>releasableTo</d:para>
  </d:entry>
  <d:entry>
```

```
<d:para ism:classification="U" ism:ownerProducer="USA">releasableTo attribute</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-d72344f749c16b14c3d4fd1d2e1d473d">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>displayOnlyTo</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">displayOnlyTo attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-ec697489b400fbc614bbbf87cc7dc8ac">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>nonICmarkings</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">nonICmarkings attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-6097c0458fe81337f2a110dcacb516d3">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>classifiedBy</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">classifiedBy attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-3d6811430f2843d101349019bab9cb50">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>derivativelyClassifiedBy</d:para>
```

```

    </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">derivativelyClassifiedBy attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-22acb9d6b46b47bdd947c2785d8dcda5">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>classificationReason</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">classificationReason attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-008d6cfef772b68b46226b5772a3e837">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>nonUSControls</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">nonUSControls attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-3ec7eaba22712d095a8edb461c3d168e">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>derivedFrom</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">derivedFrom attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-0089dcc3235b15d640b12069281fac28">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>

```



```
<d:entry>
  <d:para>declassDate</d:para>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA">declassDate attribute</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-976b3eddf099dd28f310a29f7145820e">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>declassEvent</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">declassEvent attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-c8af40cb5e279e8de3404036fe35783b">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>declassException</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">declassException attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-75f27e9a918e7a41a5d276c7b77ed714">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>resourceElement</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">resourceElement attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-7035110b7af8b10e645b16f46d0c0e0d">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
```

```
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
      </d:entry>
      <d:entry>
        <d:para>excludeFromRollup</d:para>
      </d:entry>
      <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">excludeFromRollup attribute</d:para>
      </d:entry>
    </d:row>
    <d:row xml:id="md5-c8ce4c2aa5d90d26e5bd8e9df3475421">
      <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
      </d:entry>
      <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
      </d:entry>
      <d:entry>
        <d:para>createDate</d:para>
      </d:entry>
      <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">createDate attribute</d:para>
      </d:entry>
    </d:row>
    <d:row xml:id="md5-4b6cf0831ac66543017fe99411f43561">
      <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
      </d:entry>
      <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
      </d:entry>
      <d:entry>
        <d:para>compilationReason</d:para>
      </d:entry>
      <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">compilationReason attribute</d:para>
      </d:entry>
    </d:row>
    <d:row xml:id="md5-8fec13b19b2819fd31f3f350e7ff5df3">
      <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
      </d:entry>
      <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
      </d:entry>
      <d:entry>
        <d:para>noAggregation</d:para>
      </d:entry>
      <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">noAggregation attribute</d:para>
      </d:entry>
    </d:row>
    <d:row xml:id="md5-ae0e9dcdf80593cc270035eea8ef6b45">
      <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
      </d:entry>
```

```
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA"/>
</d:entry>
<d:entry>
  <d:para>noticeType</d:para>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA">noticeType attribute</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-90fad0628a2e3af97480deee04cb2a1d">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>externalNotice</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">externalNotice attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-8ea2bf38c1ac385a4f4a05a886193d93">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>DESVersion</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">DESVersion attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-d17ebb467660fd1e3361093e36f14e93">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>ISMCATCESVersion</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">ISMCATCESVersion attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-40fae21e6102706bd4639836b58523be">
```

```
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA"/>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA"/>
</d:entry>
<d:entry>
  <d:para>noticeDate</d:para>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA">notice date attribute</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-b0f3776c6fa5f4a1c745a0dc4d6d6747">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>noticeReason</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">notice Reason attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-0047effaeb85e6506384d9b0818c11de">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>exemptFrom</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">exemptFrom attribute</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-1c8c3e9adda274957f6eb5c64be6cad7">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>unregisteredNoticeType</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">unregisteredNoticeType attribute</d:para>
  </d:entry>
</d:row>
```

```
</d:row>
<d:row xml:id="md5-37be6c1d6ed78195a15b258d6ecf921e">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>pocType</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">Specifies a point-of contact for a security-related requirement.</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-8f6ca0f9eb573000a7aa50c0e1df5037">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>joint</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">Indicator that multiple ownerProducers should be interpreted as JOINT.</d:para>
  </d:entry>
</d:row>
</d:tbody>
</d:tgroup>
</d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CVEEnumISMClassificationAll">
  <d:title ism:ownerProducer="USA" ism:classification="U">CVEEnumISMClassificationAll for ISM</d:title>
  <d:sect1>
    <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
    <d:itemizedlist spacing="compact">
      <d:listitem>
        <d:para ism:ownerProducer="USA" ism:classification="U">Description: All currently valid classification marks. This CVE is used by
@ism:classification.</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Single-Valued</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:classification:all</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2010-05-31T21:22:00-04:00</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Source: IC Systems Register and Manual</d:para>
      </d:listitem>
    </d:itemizedlist>
  </d:sect1>
</d:chapter>
```

```

        </d:listitem>
        <d:listitem>
            <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
            <d:listitem>
                <d:para>Office IC CIO</d:para>
            </d:listitem>
            <d:listitem>
                <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
                </d:para>
            </d:listitem>
        </d:itemizedlist>
    </d:para>
</d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
    <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
    <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMClassificationAll.xml</d:para>
    <d:table>
        <d:title ism:ownerProducer="USA" ism:classification="U">CVEnumISMClassificationAll Values</d:title>
        <d:tgroup cols="4">
            <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
            <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
            <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
            <d:colspec colnum="4" colname="last" colwidth="3.31*" />
            <d:thead>
                <d:row>
                    <d:entry namest="c1" nameend="last">
                        <d:para>The following table is classified UNCLASSIFIED.</d:para>
                    </d:entry>
                </d:row>
                <d:row>
                    <d:entry namest="c1" nameend="last" align="center">
                        <d:para ism:ownerProducer="USA" ism:classification="U">CVEnumISMClassificationAll Values</d:para>
                    </d:entry>
                </d:row>
                <d:row>
                    <d:entry namest="c1" nameend="c2" align="center">
                        <d:para>Classification</d:para>
                    </d:entry>
                    <d:entry morerows="1">
                        <d:para>Value</d:para>
                    </d:entry>
                    <d:entry morerows="1">
                        <d:para>Documentation</d:para>
                    </d:entry>
                </d:row>
                <d:row>
                    <d:entry align="center">
                        <d:para>Row</d:para>
                    </d:entry>
                </d:row>
            </d:thead>
        </d:tgroup>
    </d:table>

```

```

        <d:entry align="center">
            <d:para>Value</d:para>
        </d:entry>
    </d:row>
</d:thead>
<d:tbody>
    <d:row xml:id="md5-98d9fad022780172828c0ccdf4131da9">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>R</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">RESTRICTED</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-d17e63838b3f57bd88fb9a5e7fb15c08">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>C</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">CONFIDENTIAL</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-ac5805d418a24b65b4a3bbfd285293ef">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>S</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">SECRET</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-9c29f8178effe8edf752c02d0b1448aa">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
    </d:row>

```

```

        </d:entry>
        <d:entry>
            <d:para>TS</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">TOP SECRET</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-7f5346d14ebd77b6d6d993a1f2a69412">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>U</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">UNCLASSIFIED</d:para>
        </d:entry>
    </d:row>
</d:tbody>
</d:tgroup>
</d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CVerEnumISMClassificationUS">
    <d:title ism:ownerProducer="USA" ism:classification="U">CVerEnumISMClassificationUS for ISM</d:title>
    <d:sect1>
        <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
        <d:itemizedlist spacing="compact">
            <d:listitem>
                <d:para ism:ownerProducer="USA" ism:classification="U">Description: All currently valid US classification marks. This file is not imported by the
schema.</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Single-Valued</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cverenum:ism:classification:us</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2010-03-12T11:29:00-04:00</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Source: IC Systems Register and Manual</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
                    <d:listitem>
                        <d:para>Office IC CIO</d:para>
                    </d:listitem>
                </d:itemizedlist>
            </d:listitem>
        </d:sect1>
    </d:chapter>
```



```

        <d:listitem>
            <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
            </d:para>
        </d:listitem>
    </d:itemizedlist>
</d:para>
</d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
    <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
    <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMClassificationUS.xml</d:para>
    <d:table>
        <d:title ism:ownerProducer="USA" ism:classification="U">CVEnumISMClassificationUS Values</d:title>
        <d:tgroup cols="4">
            <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
            <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
            <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
            <d:colspec colnum="4" colname="last" colwidth="3.31*" />
            <d:thead>
                <d:row>
                    <d:entry namest="c1" nameend="last">
                        <d:para>The following table is classified UNCLASSIFIED.</d:para>
                    </d:entry>
                </d:row>
                <d:row>
                    <d:entry namest="c1" nameend="last" align="center">
                        <d:para ism:ownerProducer="USA" ism:classification="U">CVEnumISMClassificationUS Values</d:para>
                    </d:entry>
                </d:row>
                <d:row>
                    <d:entry namest="c1" nameend="c2" align="center">
                        <d:para>Classification</d:para>
                    </d:entry>
                    <d:entry morerows="1">
                        <d:para>Value</d:para>
                    </d:entry>
                    <d:entry morerows="1">
                        <d:para>Documentation</d:para>
                    </d:entry>
                </d:row>
                <d:row>
                    <d:entry align="center">
                        <d:para>Row</d:para>
                    </d:entry>
                    <d:entry align="center">
                        <d:para>Value</d:para>
                    </d:entry>
                </d:row>
            </d:thead>
            <d:tbody>
                <d:row xml:id="md5-1a2ad9bb3e231f83def816830fa17c5c">

```

```
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA"/>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA"/>
</d:entry>
<d:entry>
  <d:para>TS</d:para>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA">TOP SECRET</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-6837d4ac5108bcca5247b02cc136617c">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>S</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">SECRET</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-2ed865da07d082544ca2cba1a56651f2">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>C</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">CONFIDENTIAL</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-9f957dd793d90dad5602f481df1f2ac5">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>U</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">UNCLASSIFIED</d:para>
  </d:entry>
</d:row>
```

```

        </d:row>
      </d:tbody>
    </d:tgroup>
  </d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CVENumISMCompliesWith">
  <d:title ism:ownerProducer="USA" ism:classification="U">CVENumISMCompliesWith for ISM</d:title>
  <d:sect1>
    <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
    <d:itemizedlist spacing="compact">
      <d:listitem>
        <d:para ism:ownerProducer="USA" ism:classification="U">Description: ISM rule sets documents may comply with. This CVE is used by
@ism:compliesWith.</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Multi-Valued Max Values: 4</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:complieswith</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2010-05-30T16:52:00-04:00</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Source: ISM schema</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
          <d:listitem>
            <d:para>Office IC CIO</d:para>
          </d:listitem>
          <d:listitem>
            <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
          </d:para>
        </d:listitem>
      </d:itemizedlist>
    </d:para>
  </d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
  <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
  <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVENumISMCompliesWith.xml</d:para>
  <d:table>
    <d:title ism:ownerProducer="USA" ism:classification="U">CVENumISMCompliesWith Values</d:title>
    <d:tgroup cols="4">
      <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
      <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
      <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
      <d:colspec colnum="4" colname="last" colwidth="3.31*" />
    </d:tgroup>
  </d:table>
</d:sect1>

```

```
<d:thead>
  <d:row>
    <d:entry namest="c1" nameend="last">
      <d:para>The following table is classified UNCLASSIFIED.</d:para>
    </d:entry>
  </d:row>
  <d:row>
    <d:entry namest="c1" nameend="last" align="center">
      <d:para ism:ownerProducer="USA" ism:classification="U">CVEnumISMCompliesWith Values</d:para>
    </d:entry>
  </d:row>
  <d:row>
    <d:entry namest="c1" nameend="c2" align="center">
      <d:para>Classification</d:para>
    </d:entry>
    <d:entry morerows="1">
      <d:para>Value</d:para>
    </d:entry>
    <d:entry morerows="1">
      <d:para>Documentation</d:para>
    </d:entry>
  </d:row>
  <d:row>
    <d:entry align="center">
      <d:para>Row</d:para>
    </d:entry>
    <d:entry align="center">
      <d:para>Value</d:para>
    </d:entry>
  </d:row>
</d:thead>
<d:tbody>
  <d:row xml:id="md5-c7c28ffb621562002d526f0b9ce0ed94">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>USGov</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">Document claims compliance with all rules encoded in ISM for documents produced by the US
Federal Government. This is the minimum set of rules for US documents to adhere to, and all US documents should
claim compliance with USGov. For example, a US Intelligence Community document should claim ism:compliesWith="USGov
USIC".</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-e5026c233d1eeff4ca5ddc9b0188d6f2">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
```

```

        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>USIC</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">Document claims compliance with all rules encoded in ISM for documents produced by the US
Intelligence Community. Documents that claim compliance with USIC MUST also claim compliance with USGov.</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-14f6c9c53b2ce2c5c2b231144ee2311a">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>USDOD</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">Document claims compliance with all rules encoded in ISM for documents produced by the US
Department of Defense. Documents that claim compliance with USDOD MUST also claim compliance with USGov.</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-935a632cf487ecf0743d0aca3ff84c56">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>OtherAuthority</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">Document claims compliance with an authority other than the USGov, USIC, or USDOD. This
token is not allowed if the ism:ownerProducer contains USA.</d:para>
    </d:entry>
</d:row>
</d:tbody>
</d:tgroup>
</d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CVEEnumISMDissem">
    <d:title ism:ownerProducer="USA" ism:classification="U">CVEEnumISMDissem for ISM</d:title>
    <d:sect1>
        <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
        <d:itemizedlist spacing="compact">
            <d:listitem>
                <d:para ism:ownerProducer="USA" ism:classification="U">Description: All currently valid Dissemination controls from the published register. This CVE is
used by @ism:disseminationControls.</d:para>
            </d:listitem>
        </d:itemizedlist>
    </d:sect1>
</d:chapter>
```

```
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Multi-Valued Max Values: 13</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:dissem</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2012-01-04T00:14:00-04:00</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Source: IC Systems Register and Manual</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
  <d:listitem>
    <d:para>Office IC CIO</d:para>
  </d:listitem>
  <d:listitem>
    <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
    </d:para>
  </d:listitem>
</d:itemizedlist>
  </d:para>
</d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
  <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
  <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CEnumISMDissem.xml</d:para>
  <d:table>
    <d:title ism:ownerProducer="USA" ism:classification="U">CEnumISMDissem Values</d:title>
    <d:tgroup cols="4">
      <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
      <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
      <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
      <d:colspec colnum="4" colname="last" colwidth="3.31*" />
      <d:thead>
        <d:row>
          <d:entry namest="c1" nameend="last">
            <d:para>The following table is classified UNCLASSIFIED.</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="last" align="center">
            <d:para ism:ownerProducer="USA" ism:classification="U">CEnumISMDissem Values</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="c2" align="center">
            <d:para>Classification</d:para>
          </d:entry>
        </d:row>
      </d:thead>
    </d:tgroup>
  </d:table>
</d:sect1>
```

```
<d:entry morerows="1">
  <d:para>Value</d:para>
</d:entry>
<d:entry morerows="1">
  <d:para>Documentation</d:para>
</d:entry>
</d:row>
<d:row>
  <d:entry align="center">
    <d:para>Row</d:para>
  </d:entry>
  <d:entry align="center">
    <d:para>Value</d:para>
  </d:entry>
</d:row>
</d:thead>
<d:tbody>
  <d:row xml:id="md5-dfa302c851a17d5d032c4a608020bc1c">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>RS</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">RISK SENSITIVE</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-768d8a8bb201bdc090a336c919f686f2">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>FOUO</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">FOR OFFICIAL USE ONLY</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-5caa19abc858c7bdb870363d55458b7b">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>OC</d:para>
    </d:entry>
  </d:row>
</d:tbody>
</d:table>
```

```
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA">ORIGINATOR CONTROLLED</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-c2a8278db156d8897511de879078e421">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>OC-USGOV</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">ORIGINATOR CONTROLLED US GOVERNMENT</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-56f9e3301e92d810f97acde452fa2075">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>IMC</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">CONTROLLED IMAGERY</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-f4098430a9584d0503bd1e5112eb789d">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>NF</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">NOT RELEASABLE TO FOREIGN NATIONALS</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-520ca5c705276983b3213e804c5b6714">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
</d:row>
```



```
<d:entry>
  <d:para>PR</d:para>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA">CAUTION-PROPRIETARY INFORMATION INVOLVED</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-cde6a6e8fc623f101465fc5c92a40f99">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>REL</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">AUTHORIZED FOR RELEASE TO</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-bc27ecb78480bf62225e19219e9d3343">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>RELIDO</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">RELEASABLE BY INFORMATION DISCLOSURE OFFICIAL</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-80223bcc3540edab75086a20a3175b57">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>EYES</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">EYES ONLY</d:para>
    <d:para ism:classification="U" ism:ownerProducer="USA">Deprecation Date:2017-11-01</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-3f58477fcf5eff215526479433332fc0">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
```

```
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA"/>
</d:entry>
<d:entry>
  <d:para>DSEN</d:para>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA">DEA SENSITIVE</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-61d031fe4af09c453ae5cbb43acdf849">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>FISA</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">FOREIGN INTELLIGENCE SURVEILLANCE ACT</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-bf175b2cf386131087d0d588eb1072d3">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>DISPLAYONLY</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">AUTHORIZED FOR DISPLAY BUT NOT RELEASE TO</d:para>
  </d:entry>
</d:row>
</d:tbody>
</d:tgroup>
</d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CVEEnumISMElements">
  <d:title ism:ownerProducer="USA" ism:classification="U">CVEEnumISMElements for ISM</d:title>
  <d:sect1>
    <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
    <d:itemizedlist spacing="compact">
      <d:listitem>
        <d:para ism:ownerProducer="USA" ism:classification="U">Description: All currently authorized ISM element names</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Single-Valued</d:para>
      </d:listitem>
    </d:itemizedlist>
  </d:sect1>
</d:chapter>
```

```
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:attributes</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2011-04-15T15:16:00-05:00</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Source: ISM schema</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
  <d:listitem>
    <d:para>Office IC CIO</d:para>
  </d:listitem>
  <d:listitem>
    <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
    </d:para>
  </d:listitem>
</d:itemizedlist>
  </d:para>
</d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
  <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
  <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVENumISMElements.xml</d:para>
  <d:table>
    <d:title ism:ownerProducer="USA" ism:classification="U">CVENumISMElements Values</d:title>
    <d:tgroup cols="4">
      <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
      <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
      <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
      <d:colspec colnum="4" colname="last" colwidth="3.31*" />
      <d:thead>
        <d:row>
          <d:entry namest="c1" nameend="last">
            <d:para>The following table is classified UNCLASSIFIED.</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="last" align="center">
            <d:para ism:ownerProducer="USA" ism:classification="U">CVENumISMElements Values</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="c2" align="center">
            <d:para>Classification</d:para>
          </d:entry>
          <d:entry morerows="1">
            <d:para>Value</d:para>
          </d:entry>
        </d:row>
      </d:thead>
      <d:tbody>
        <d:row>
          <d:entry namest="c1" nameend="last">
            <d:para>The following table is classified UNCLASSIFIED.</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="last" align="center">
            <d:para ism:ownerProducer="USA" ism:classification="U">CVENumISMElements Values</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="c2" align="center">
            <d:para>Classification</d:para>
          </d:entry>
          <d:entry morerows="1">
            <d:para>Value</d:para>
          </d:entry>
        </d:row>
      </d:tbody>
    </d:tgroup>
  </d:table>
</d:sect1>
```

```
<d:entry morerows="1">
  <d:para>Documentation</d:para>
</d:entry>
</d:row>
<d:row>
  <d:entry align="center">
    <d:para>Row</d:para>
  </d:entry>
  <d:entry align="center">
    <d:para>Value</d:para>
  </d:entry>
</d:row>
</d:thead>
<d:tbody>
  <d:row xml:id="md5-bd273eaae89fe82c9f807a98bc6ce349">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>Notice</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">Notice element</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-639f802debccaa3d5f6f02d62509b495">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>NoticeText</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">NoticeText element</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-01b1f92b0f9517aa3c78a361c07f47ee">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>NoticeList</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">NoticeList element</d:para>
    </d:entry>
  </d:row>
</d:tbody>
</d:table>
```

```

    </d:entry>
  </d:row>
  <d:row xml:id="md5-5927910aaebc21acf58c9c653c9ac64a">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>NoticeExternal</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">NoticeExternal element</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-9be4431161aded64787461704aab6594">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>NoticeExternalList</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">NoticeExternalList element</d:para>
    </d:entry>
  </d:row>
</d:tbody>
</d:tgroup>
</d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CVEEnumISMExemptFrom">
  <d:title ism:ownerProducer="USA" ism:classification="U">CVEEnumISMExemptFrom for ISM</d:title>
  <d:sect1>
    <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
    <d:itemizedlist spacing="compact">
      <d:listitem>
        <d:para ism:ownerProducer="USA" ism:classification="U">Description: Current rule set names that documents may comply with. This CVE is used by
@ism:exemptFrom.</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Multi-Valued Max Values: 2</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:exemptfrom</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2010-05-30T16:52:00-04:00</d:para>
      </d:listitem>
    </d:itemizedlist>
  </d:sect1>
</d:chapter>
```

```
<d:para ism:classification="U" ism:ownerProducer="USA">Source: ISM schema</d:para>
</d:listitem>
<d:listitem>
  <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
  <d:listitem>
    <d:para>Office IC CIO</d:para>
  </d:listitem>
  <d:listitem>
    <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
    </d:para>
  </d:listitem>
</d:itemizedlist>
</d:para>
</d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
  <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
  <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVCEnumISMExemptFrom.xml</d:para>
  <d:table>
    <d:title ism:ownerProducer="USA" ism:classification="U">CVCEnumISMExemptFrom Values</d:title>
    <d:tgroup cols="4">
      <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
      <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
      <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
      <d:colspec colnum="4" colname="last" colwidth="3.31*" />
      <d:thead>
        <d:row>
          <d:entry namest="c1" nameend="last">
            <d:para>The following table is classified UNCLASSIFIED.</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="last" align="center">
            <d:para ism:ownerProducer="USA" ism:classification="U">CVCEnumISMExemptFrom Values</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="c2" align="center">
            <d:para>Classification</d:para>
          </d:entry>
          <d:entry morerows="1">
            <d:para>Value</d:para>
          </d:entry>
          <d:entry morerows="1">
            <d:para>Documentation</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry align="center">
            <d:para>Row</d:para>

```

```

        </d:entry>
        <d:entry align="center">
            <d:para>Value</d:para>
        </d:entry>
    </d:row>
</d:thead>
<d:tbody>
    <d:row xml:id="md5-7acbe0834a14aa309a68064f9b4e574f">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>IC_710_MANDATORY_FDR</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">Document claims exemption from ICD-710 rules mandating the use of Foreign Disclosure and
Release markings that have been encoded in ISM. Currently, the requirement for FD&R is only mandatory for
Disseminated Analytic Product; however, it is strongly encouraged otherwise.</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-93fbda5dc73fdc604e17478c643b10cc">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>DOD_DISTRO_STATEMENT</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">Document claims exemption from the rules in DoD5230.24 requiring DoD Distribution
Statements that have been encoded into ISM.</d:para>
        </d:entry>
    </d:row>
</d:tbody>
</d:tgroup>
</d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CVerenumISMNonIC">
    <d:title ism:ownerProducer="USA" ism:classification="U">CVerenumISMNonIC for ISM</d:title>
    <d:sect1>
        <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
        <d:itemizedlist spacing="compact">
            <d:listitem>
                <d:para ism:ownerProducer="USA" ism:classification="U">Description: All currently valid Non-IC markings from the published register. This CVE is used by
@ism:nonICmarkings.</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Multi-Valued Max Values: 10</d:para>
            </d:listitem>
        </d:itemizedlist>
    </d:sect1>
</d:chapter>

```

```

        </d:listitem>
        <d:listitem>
            <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:nonic</d:para>
        </d:listitem>
        <d:listitem>
            <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2012-01-04T00:14:00-04:00</d:para>
        </d:listitem>
        <d:listitem>
            <d:para ism:classification="U" ism:ownerProducer="USA">Source: IC Systems Register and Manual</d:para>
        </d:listitem>
        <d:listitem>
            <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
            <d:listitem>
                <d:para>Office IC CIO</d:para>
            </d:listitem>
            <d:listitem>
                <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
                </d:para>
            </d:listitem>
        </d:itemizedlist>
        </d:para>
    </d:listitem>
</d:sect1>
<d:sect1>
    <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
    <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CEnumISMNonIC.xml</d:para>
    <d:table>
        <d:title ism:ownerProducer="USA" ism:classification="U">CEnumISMNonIC Values</d:title>
        <d:tgroup cols="4">
            <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
            <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
            <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
            <d:colspec colnum="4" colname="last" colwidth="3.31*" />
            <d:thead>
                <d:row>
                    <d:entry namest="c1" nameend="last">
                        <d:para>The following table is classified UNCLASSIFIED.</d:para>
                    </d:entry>
                </d:row>
                <d:row>
                    <d:entry namest="c1" nameend="last" align="center">
                        <d:para ism:ownerProducer="USA" ism:classification="U">CEnumISMNonIC Values</d:para>
                    </d:entry>
                </d:row>
                <d:row>
                    <d:entry namest="c1" nameend="c2" align="center">
                        <d:para>Classification</d:para>
                    </d:entry>
                    <d:entry morerows="1">
                        <d:para>Value</d:para>
                    </d:entry>
                </d:row>
            </d:thead>
            <d:tbody>
            </d:tbody>
        </d:tgroup>
    </d:table>

```



```

    </d:entry>
    <d:entry morerows="1">
      <d:para>Documentation</d:para>
    </d:entry>
  </d:row>
  <d:row>
    <d:entry align="center">
      <d:para>Row</d:para>
    </d:entry>
    <d:entry align="center">
      <d:para>Value</d:para>
    </d:entry>
  </d:row>
</d:thead>
<d:tbody>
  <d:row xml:id="md5-725e9ac89a4ad7ae7cc7cc1b4d4edbdf">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>DS</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">LIMITED DISTRIBUTION</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-42b3642553cd59233505adb0a1ce0845">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>XD</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">EXCLUSIVE DISTRIBUTION</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-e37fb2647cdc56d1c05c1906c367f3a9">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>ND</d:para>
    </d:entry>
    <d:entry>

```

```

        <d:para ism:classification="U" ism:ownerProducer="USA">NO DISTRIBUTION</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-a43c3c916ccd3f9578fca9e06eedc352">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>SBU</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">SENSITIVE BUT UNCLASSIFIED</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-4a5a5a4493d7c16e5ed53a63f7d1d33b">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>SBU-NF</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">SENSITIVE BUT UNCLASSIFIED NOFORN</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-570f62896a5a8cb48879b835ccaadbea">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>LES</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">LAW ENFORCEMENT SENSITIVE</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-270001b811a9a308cf36e0a0846561a4">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>LES-NF</d:para>
    </d:entry>
</d:row>
```

```

        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">LAW ENFORCEMENT SENSITIVE NOFORN</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-39e027ca50d6ae8817cd373bbee6242b">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>SSI</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">SENSITIVE SECURITY INFORMATION</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-1b452de9aad418dc017987a620ceda2a">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>NNPI</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">NAVAL NUCLEAR PROPULSION INFORMATION</d:para>
        </d:entry>
    </d:row>
</d:tbody>
</d:tgroup>
</d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CVEEnumISMNonUSControls">
    <d:title ism:ownerProducer="USA" ism:classification="U">CVEEnumISMNonUSControls for ISM</d:title>
    <d:sect1>
        <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
        <d:itemizedlist spacing="compact">
            <d:listitem>
                <d:para ism:ownerProducer="USA" ism:classification="U">Description: NonUS Control markings supported by ISM. This CVE is used by
@ism:nonUSControls.</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Multi-Valued Max Values: 3</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:nonuscontrols</d:para>
            </d:listitem>
            <d:listitem>

```

```

    <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2010-06-06T20:11:00-04:00</d:para>
  </d:listitem>
  <d:listitem>
    <d:para ism:classification="U" ism:ownerProducer="USA">Source: ISM schema</d:para>
  </d:listitem>
  <d:listitem>
    <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
  <d:listitem>
    <d:para>Office IC CIO</d:para>
  </d:listitem>
  <d:listitem>
    <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
    </d:para>
  </d:listitem>
</d:itemizedlist>
  </d:para>
</d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
  <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
  <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CEnumISMNonUSControls.xml</d:para>
  <d:table>
    <d:title ism:ownerProducer="USA" ism:classification="U">CEnumISMNonUSControls Values</d:title>
    <d:tgroup cols="4">
      <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
      <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
      <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
      <d:colspec colnum="4" colname="last" colwidth="3.31*" />
      <d:thead>
        <d:row>
          <d:entry namest="c1" nameend="last">
            <d:para>The following table is classified UNCLASSIFIED.</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="last" align="center">
            <d:para ism:ownerProducer="USA" ism:classification="U">CEnumISMNonUSControls Values</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="c2" align="center">
            <d:para>Classification</d:para>
          </d:entry>
          <d:entry morerows="1">
            <d:para>Value</d:para>
          </d:entry>
          <d:entry morerows="1">
            <d:para>Documentation</d:para>
          </d:entry>
        </d:row>
      </d:thead>
    </d:tgroup>
  </d:table>

```

```
<d:row>
  <d:entry align="center">
    <d:para>Row</d:para>
  </d:entry>
  <d:entry align="center">
    <d:para>Value</d:para>
  </d:entry>
</d:row>
</d:thead>
<d:tbody>
  <d:row xml:id="md5-05de5ccf346fbbb2c29502adab6dafe2">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>ATOMAL</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">NATO Atomal mark</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-30cbe751e43ed4f2e2f3d3a9cca11a58">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>BOHEMIA</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">NATO Bohemia mark</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-804d308e96d1c9d862f38bedd4abe2ee">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>BALK</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">NATO Balk mark</d:para>
    </d:entry>
  </d:row>
</d:tbody>
</d:tgroup>
```

```

        </d:table>
    </d:sect1>
</d:chapter>
<d:chapter xml:id="CVEEnumISMNotice">
    <d:title ism:ownerProducer="USA" ism:classification="U">CVEEnumISMNotice for ISM</d:title>
    <d:sect1>
        <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
        <d:itemizedlist spacing="compact">
            <d:listitem>
                <d:para ism:ownerProducer="USA" ism:classification="U">Description: All currently authorized Notice values. This CVE is used by @ism:noticeType.</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Multi-Valued Max Values: 24</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:notice</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2010-03-12T11:29:00-04:00</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Source: DoD Instruction 5200.01; ISOO 32 CFR Parts 2001 and 2003; DoD Instruction
5230.24</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
                    <d:listitem>
                        <d:para>Office IC CIO</d:para>
                    </d:listitem>
                    <d:listitem>
                        <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
                        </d:para>
                    </d:listitem>
                </d:itemizedlist>
            </d:para>
        </d:listitem>
    </d:itemizedlist>
</d:sect1>
<d:sect1>
    <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
    <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEEnumISMNotice.xml</d:para>
    <d:table>
        <d:title ism:ownerProducer="USA" ism:classification="U">CVEEnumISMNotice Values</d:title>
        <d:tgroup cols="4">
            <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
            <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
            <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
            <d:colspec colnum="4" colname="last" colwidth="3.31*" />
            <d:thead>
                <d:row>
                    <d:entry namest="c1" nameend="last">
```

```

    <d:para>The following table is classified UNCLASSIFIED.</d:para>
  </d:entry>
</d:row>
<d:row>
  <d:entry namest="c1" nameend="last" align="center">
    <d:para ism:ownerProducer="USA" ism:classification="U">CVEnumISMNotice Values</d:para>
  </d:entry>
</d:row>
<d:row>
  <d:entry namest="c1" nameend="c2" align="center">
    <d:para>Classification</d:para>
  </d:entry>
  <d:entry morerows="1">
    <d:para>Value</d:para>
  </d:entry>
  <d:entry morerows="1">
    <d:para>Documentation</d:para>
  </d:entry>
</d:row>
<d:row>
  <d:entry align="center">
    <d:para>Row</d:para>
  </d:entry>
  <d:entry align="center">
    <d:para>Value</d:para>
  </d:entry>
</d:row>
</d:thead>
<d:tbody>
  <d:row xml:id="md5-7811af8821d29d187b0099bdf38cbecc">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>FISA</d:para>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA">FISA Warning statement</d:para>
    </d:entry>
  </d:row>
  <d:row xml:id="md5-0f57b0d4192c2d8b7d97a30b08b02dc0">
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
      <d:para>IMC</d:para>
    </d:entry>
    <d:entry>

```

```

    <d:para ism:classification="U" ism:ownerProducer="USA">IMCON Warning statement</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-d26c14750ae7c1aceabe5d8f1c974b30">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>CNWDI</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">Controlled Nuclear Weapon Design Information Warning statement</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-4e07cef2d884fd5ca0fea784762ee1fa">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>RD</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">RD Warning statement</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-a630dfc5164912c921bbc63a2f7d81ee">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>FRD</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">FRD Warning statement</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-74b12a8cdd3f236f268518e5f6106613">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>DS</d:para>
  </d:entry>
</d:row>
```



```
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA">LIMDIS caveat</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-e055057ba613b1db83fa2fb7dbe3af98">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>LES</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">LES Notice</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-26187b2a9650349e6f01bcb9c500803f">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>LES-NF</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">LES-NF Notice</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-29416f86e98d9d8c2bealc3b0ce7ce34">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>DSEN</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">DSEN Notice</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-d8a25498788767f2f556f6e09aa94178">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
</d:row>
```

```
<d:entry>
  <d:para>DoD-Dist-A</d:para>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA">DoD Distribution statement A from DoD Directive 5230.24</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-8b2345d1cece34c52b112bc1dc838a3f">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>DoD-Dist-B</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">DoD Distribution statement B from DoD Directive 5230.24</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-304921a31b19bfb84ad6a31cc0cfed37">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>DoD-Dist-C</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">DoD Distribution statement C from DoD Directive 5230.24</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-d57383bc6c7e1717f6742858a8f71a46">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>DoD-Dist-D</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">DoD Distribution statement D from DoD Directive 5230.24</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-8cd90fddca834f8e24d5e71106e8fcb8">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:entry>

```

```

        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>DoD-Dist-E</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">DoD Distribution statement E from DoD Directive 5230.24</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-2a76021ce4fc09e7bddc9697623dcde7">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>DoD-Dist-F</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">DoD Distribution statement F from DoD Directive 5230.24</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-b9217d7efee7733f48e7f35b9eb18580">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>US-Person</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">US Person info Notice</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-fdb5d5c0274a00560ab8eaa3b773441b">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>pre13526ORCON</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">Indicates that an instance document must abide by rules pertaining to ORIGINATOR CONTROLLED
data issued prior to Executive Order 13526.</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-cf22936d25e7b8824cfc7fff53ec5bf2">
    <d:entry>
```

```

        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>POC</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">Indicates that the contents of this notice specify the contact information for a required
point-of-contact.</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-79917465ba279ec875618eb04e8248a2">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>COMSEC</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">COMSEC Notice</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-90798af3b6337f42c2886a7a940f1ecc">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>SSI</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">Indicates that this is the notice for Sensitive Security Information</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-918c90bba5ac284f6980816786cc002e">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>RSEN</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">Risk Sensitive Notice</d:para>
    </d:entry>
</d:row>
```

```
</d:row>
<d:row xml:id="md5-e3ef68ad96e69955433934025d603b77">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>IMCON_RSEN</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">Indicates SAT warning statements include IMCON and RSEN markings</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-8197ddb44b7ce4f6742f87f1efa51d57">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>GEOCAP</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">GEOCAP Warning statement</d:para>
  </d:entry>
</d:row>
</d:tbody>
</d:tgroup>
</d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CVENumISMPocType">
  <d:title ism:ownerProducer="USA" ism:classification="U">CVENumISMPocType for ISM</d:title>
  <d:sect1>
    <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
    <d:itemizedlist spacing="compact">
      <d:listitem>
        <d:para ism:ownerProducer="USA" ism:classification="U">Description: All currently authorized types for ISM-related points-of-contact. This CVE is used by
@ism:pocType.</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Multi-Valued Max Values: 7</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:pocType</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2011-07-13T14:42:00-04:00</d:para>
      </d:listitem>
      <d:listitem>
        <d:para ism:classification="U" ism:ownerProducer="USA">Source: DoD Directive 5230.24; ICD-710; Originator Controlled Memo, March 11, 2011</d:para>
      </d:listitem>
    </d:itemizedlist>
  </d:sect1>
</d:chapter>
```

```

        </d:listitem>
        <d:listitem>
            <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
            <d:listitem>
                <d:para>Office IC CIO</d:para>
            </d:listitem>
            <d:listitem>
                <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
                </d:para>
            </d:listitem>
        </d:itemizedlist>
    </d:para>
</d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
    <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
    <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMPocType.xml</d:para>
    <d:table>
        <d:title ism:ownerProducer="USA" ism:classification="U">CVEnumISMPocType Values</d:title>
        <d:tgroup cols="4">
            <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
            <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
            <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
            <d:colspec colnum="4" colname="last" colwidth="3.31*" />
            <d:thead>
                <d:row>
                    <d:entry namest="c1" nameend="last">
                        <d:para>The following table is classified UNCLASSIFIED.</d:para>
                    </d:entry>
                </d:row>
                <d:row>
                    <d:entry namest="c1" nameend="last" align="center">
                        <d:para ism:ownerProducer="USA" ism:classification="U">CVEnumISMPocType Values</d:para>
                    </d:entry>
                </d:row>
                <d:row>
                    <d:entry namest="c1" nameend="c2" align="center">
                        <d:para>Classification</d:para>
                    </d:entry>
                    <d:entry morerows="1">
                        <d:para>Value</d:para>
                    </d:entry>
                    <d:entry morerows="1">
                        <d:para>Documentation</d:para>
                    </d:entry>
                </d:row>
                <d:row>
                    <d:entry align="center">
                        <d:para>Row</d:para>
                    </d:entry>
                </d:row>
            </d:thead>
            <d:tbody>
                <d:row>
                    <d:entry align="center">
                        <d:para>Row</d:para>
                    </d:entry>
                </d:row>
            </d:tbody>
        </d:tgroup>
    </d:table>

```

```

        <d:entry align="center">
            <d:para>Value</d:para>
        </d:entry>
    </d:row>
</d:thead>
<d:tbody>
    <d:row xml:id="md5-aal6021a680ed68c15e55299faf59e01">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>ICD-710</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">Point-of-contact for an ICD-710 notice.</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-a24ec212430a8914d67806859e60537b">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>DoD-Dist-B</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">DoD Distribution statement B from DoD Directive 5230.24</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-17d7740369e915de717038935090d1ca">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>DoD-Dist-C</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">DoD Distribution statement C from DoD Directive 5230.24</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-93860c42426b2129f92f3b37eed4213b">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
    </d:tbody>
</table>
```

```

        </d:entry>
        <d:entry>
            <d:para>DoD-Dist-D</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">DoD Distribution statement D from DoD Directive 5230.24</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-3e576e1e0ea1cb895fdd11dffa9a949c6">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>DoD-Dist-E</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">DoD Distribution statement E from DoD Directive 5230.24</d:para>
        </d:entry>
    </d:row>
    <d:row xml:id="md5-d3d1035033df0739dd1cb781bd800605">
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA"/>
        </d:entry>
        <d:entry>
            <d:para>DoD-Dist-F</d:para>
        </d:entry>
        <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA">DoD Distribution statement F from DoD Directive 5230.24</d:para>
        </d:entry>
    </d:row>
</d:tbody>
</d:tgroup>
</d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CVerenumISMSAR">
    <d:title ism:ownerProducer="USA" ism:classification="U">CVerenumISMSAR for ISM</d:title>
    <d:sect1>
        <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
        <d:itemizedlist spacing="compact">
            <d:listitem>
                <d:para ism:ownerProducer="USA" ism:classification="U">Description: All currently valid SAR controls from the published register. This CVE is used by
@ism:SARIdentifier.</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Multi-Valued Max Values: 0</d:para>
            </d:listitem>
            <d:listitem>

```



```

    <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:sar</d:para>
  </d:listitem>
  <d:listitem>
    <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2010-03-12T11:29:00-04:00</d:para>
  </d:listitem>
  <d:listitem>
    <d:para ism:classification="U" ism:ownerProducer="USA">Source: IC Systems Register and Manual</d:para>
  </d:listitem>
  <d:listitem>
    <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
<d:itemizedlist spacing="compact">
  <d:listitem>
    <d:para>Office IC CIO</d:para>
  </d:listitem>
  <d:listitem>
    <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
    </d:para>
  </d:listitem>
</d:itemizedlist>
</d:para>
</d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
  <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
  <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVENumISMSAR.xml</d:para>
  <d:table>
    <d:title ism:ownerProducer="USA" ism:classification="U">CVENumISMSAR Values</d:title>
    <d:tgroup cols="4">
      <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
      <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
      <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
      <d:colspec colnum="4" colname="last" colwidth="3.31*" />
      <d:thead>
        <d:row>
          <d:entry namest="c1" nameend="last">
            <d:para>The following table is classified UNCLASSIFIED.</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="last" align="center">
            <d:para ism:ownerProducer="USA" ism:classification="U">CVENumISMSAR Values</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="c2" align="center">
            <d:para>Classification</d:para>
          </d:entry>
          <d:entry morerows="1">
            <d:para>Value</d:para>
          </d:entry>
          <d:entry morerows="1">

```

```

        <d:para>Documentation</d:para>
    </d:entry>
</d:row>
<d:row>
    <d:entry align="center">
        <d:para>Row</d:para>
    </d:entry>
    <d:entry align="center">
        <d:para>Value</d:para>
    </d:entry>
</d:row>
</d:thead>
<d:tbody>
    <d:row>
        <d:entry namest="c1" nameend="last" align="center">
            <d:para ism:classification="U" ism:ownerProducer="USA">No values in this CVE.</d:para>
        </d:entry>
    </d:row>
</d:tbody>
</d:tgroup>
</d:table>
</d:sect1>
</d:chapter>
<d:chapter xml:id="CGLenumISMSCIControls">
    <d:title ism:ownerProducer="USA" ism:classification="U">CGLenumISMSCIControls for ISM</d:title>
    <d:sect1>
        <d:title ism:classification="U" ism:ownerProducer="USA">Descriptive information</d:title>
        <d:itemizedlist spacing="compact">
            <d:listitem>
                <d:para ism:ownerProducer="USA" ism:classification="U">Description: All currently valid SCI controls from the published register. This CVE is used by
@ism:SCIcontrols.</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Multiplicity: Multi-Valued Max Values: 12</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">URN: urn:us:gov:ic:cvenum:ism:scicontrols</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Created: 2017-10-20T22:21:38.129Z</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Source: IC Systems Register and Manual</d:para>
            </d:listitem>
            <d:listitem>
                <d:para ism:classification="U" ism:ownerProducer="USA">Point of contact:
</d:itemizedlist spacing="compact">
                <d:listitem>
                    <d:para>Office IC CIO</d:para>
                </d:listitem>
                <d:listitem>
                    <d:para>E-mail:
<d:email>ic-standards-support@iarpa.gov</d:email>
                </d:para>
            </d:listitem>
        </d:sect1>
    </d:chapter>

```

```

        </d:listitem>
      </d:itemizedlist>
    </d:para>
  </d:listitem>
</d:itemizedlist>
</d:sect1>
<d:sect1>
  <d:title ism:classification="U" ism:ownerProducer="USA">Permissible Values</d:title>
  <d:para ism:ownerProducer="USA" ism:classification="U">The permissible values for this simple type are defined in the Controlled Value Enumeration:
CEnumISMSCIControls.xml</d:para>
  <d:table>
    <d:title ism:ownerProducer="USA" ism:classification="U">CEnumISMSCIControls Values</d:title>
    <d:tgroup cols="4">
      <d:colspec colnum="1" colname="c1" colwidth="1.0*" />
      <d:colspec colnum="2" colname="c2" colwidth="1.0*" />
      <d:colspec colnum="3" colname="c3" colwidth="2.0*" />
      <d:colspec colnum="4" colname="last" colwidth="3.31*" />
      <d:thead>
        <d:row>
          <d:entry namest="c1" nameend="last">
            <d:para>The following table is classified UNCLASSIFIED.</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="last" align="center">
            <d:para ism:ownerProducer="USA" ism:classification="U">CEnumISMSCIControls Values</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry namest="c1" nameend="c2" align="center">
            <d:para>Classification</d:para>
          </d:entry>
          <d:entry morerows="1">
            <d:para>Value</d:para>
          </d:entry>
          <d:entry morerows="1">
            <d:para>Documentation</d:para>
          </d:entry>
        </d:row>
        <d:row>
          <d:entry align="center">
            <d:para>Row</d:para>
          </d:entry>
          <d:entry align="center">
            <d:para>Value</d:para>
          </d:entry>
        </d:row>
      </d:thead>
      <d:tbody>
        <d:row xml:id="md5-1a298b1032bc95a2a25eb106ff9286a0">
          <d:entry>
            <d:para ism:classification="U" ism:ownerProducer="USA" />
          </d:entry>
          <d:entry>

```

```

        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>HCS</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">HCS</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-f00854fd8e0e4024bbce773e90a54be6">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>HCS-O</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">HCS-O</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-16ffcd3b3d83497fc7f2765c9a64ad8b">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>HCS-P</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">HCS-P</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-c3427172fe15d42eee9cde4c3cd2e636">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>
    <d:entry>
        <d:para>RSV</d:para>
    </d:entry>
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA">RESERVE</d:para>
    </d:entry>
</d:row>
<d:row xml:id="md5-5db16d10dd6ec706811f242048eb03f4">
    <d:entry>
        <d:para ism:classification="U" ism:ownerProducer="USA"/>
    </d:entry>

```

```
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA"/>
</d:entry>
<d:entry>
  <d:para>SI</d:para>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA">SPECIAL INTELLIGENCE</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-c617dc33ec75c94af0bf99790159305b">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>SI-EU</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">ECRU</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-c8c21d72e695d1dee2d90e96d3be385d">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>SI-G</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">SI-GAMMA</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-f88ffff79b5687cf016fda3be90c2fb8">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>SI-NK</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">NONBOOK</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-2dd63909ad6c5a9db4fdeda197c70a46">
```

```
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA"/>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA"/>
</d:entry>
<d:entry>
  <d:para>TK</d:para>
</d:entry>
<d:entry>
  <d:para ism:classification="U" ism:ownerProducer="USA">TALENT KEYHOLE</d:para>
</d:entry>
</d:row>
<d:row xml:id="md5-cb51004d8b25e31658bfc8fa729c171b">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>TK-BLFH</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">BLUEFISH</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-765b27322721e4af7b11b9c1ebd7eb78">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>TK-IDIT</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">IDITAROD</d:para>
  </d:entry>
</d:row>
<d:row xml:id="md5-aae17bfb19cd0544d7f5dd53b8090c75">
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA"/>
  </d:entry>
  <d:entry>
    <d:para>TK-KAND</d:para>
  </d:entry>
  <d:entry>
    <d:para ism:classification="U" ism:ownerProducer="USA">KANDIK</d:para>
  </d:entry>
</d:row>
```

```

                </d:row>
            </d:tbody>
        </d:tgroup>
    </d:table>
</d:sect1>
</d:chapter>
</d:book>
```

2.2 - RogersRangers.xml

```
<?xml-model href="../../../Schema/IC-Docbook/DocbookIC.rng" schematypens="http://relaxng.org/ns/structure/1.0"?><?xml-model href="../../../Schematron/ISM/ISM_XML.sch" type="application/xml"
schematypens="http://purl.oclc.org/dsdl/schematron"?><d:article ism:DESVersion="202111.202211"
    ism:ISMCATCESVersion="202211"
    ism:resourceElement="true"
    ism:createDate="2017-10-18"
    ism:compliesWith="USGov USIC"
    ism:classification="U"
    ism:ownerProducer="USA"
    version="5.0-variant urn:us:gov:ic:docbook-201804">
<info xmlns="http://docbook.org/ns/docbook">
  <title ism:classification="U" ism:ownerProducer="USA">Rogers' Rangers</title>
  <date>2017-07-03</date>
  <author>
    <orgname>My Intel Agency</orgname>
  </author>
  <mediaobject>
    <imageobject>
      <imagedata fileref="images/MIA_Logo.png" align="center" width="3in"/>
    </imageobject>
  </mediaobject>
  <releaseinfo role="usa.nsi.banner">UNCLASSIFIED</releaseinfo>
  <legalnotice ism:unregisteredNoticeType="DISTRO">
    <title ism:classification="U" ism:ownerProducer="USA">Distribution Notice</title>
    <para ism:classification="U" ism:ownerProducer="USA">This information is for example purposes. The text contained within this report is derived from
<link xlink:href="http://rogersrangers.org"/>and is subject to the distribution restrictions, if any, imposed by the authors of the
website.</para>
  </legalnotice>
  <abstract>
    <title ism:classification="U" ism:ownerProducer="USA">Executive Summary</title>
    <para ism:classification="U" ism:ownerProducer="USA">From 1754 to 1763 Europe and the Americas were caught up in a conflict between England, under King
George II, and France, under King Louis XV. In Europe this period was known as the Seven Years' War; in North America it came
to be called the French and Indian War. It was a conflict over trade and land.</para>
  </abstract>
</info>
<para xmlns="http://docbook.org/ns/docbook"
    ism:classification="U"
    ism:ownerProducer="USA">The English sent Crown forces from England to fortify the colonies and fight the French and Indian
invaders, but it was also necessary to recruit soldiers from the colonial population. The English army found that fighting an enemy
in the near-wilderness of North America was too much for their massed regiments. The dense forests and mountainous terrain required
fighting men who knew the habits of the enemy and could serve effectively as scouts and skirmishers.</para>
  <blockquote xmlns="http://docbook.org/ns/docbook">
    <para ism:classification="U" ism:ownerProducer="USA">"...I do therefore Hereby Constitute and Appoint you the said Robert Rogers to be Captain of an Independent
Company of Rangers to be forthwith raised and Employ'd..."
<citation>Major Rogers' Diary</citation>
  </para>
</blockquote>
<figure xmlns="http://docbook.org/ns/docbook">
  <title ism:classification="U" ism:ownerProducer="USA">Major Robert Rogers</title>
  <mediaobject>
    <alt>Major Rogers</alt>
    <imageobject>
      <imagedata fileref="images/rogers.gif" align="center"/>
    </imageobject>
  </mediaobject>
</figure>
</d:article>
```



```

        </imageobject>
    </mediaobject>
</figure>
<para xmlns="http://docbook.org/ns/docbook"
      ism:classification="U"
      ism:ownerProducer="USA">Men from local communities and nearby states were recruited to join ranger companies in the Hudson Valley
campaign. The New Hampshireman Robert Rogers formed the most notable of these ranger companies.</para>
<blockquote xmlns="http://docbook.org/ns/docbook">
    <para ism:classification="U" ism:ownerProducer="USA">"On the 23d, I waited on the General, and met with a very friendly reception; he soon intimated his
design of giving me the command of an independent company of rangers, and the very next morning I received the commission, with a
set of instructions."</para>
</blockquote>
<para xmlns="http://docbook.org/ns/docbook"
      ism:classification="U"
      ism:ownerProducer="USA">Rogers grew up in southern New Hampshire, in an area which had known years of murderous Indian raids. He
had the knowledge and the spirit to make a good ranger commander, and both he and his brother James joined the war in the King's
service as rangers. Soon his own company, Rogers' Rangers, was in service in the upper Hudson River area where they became known
for their successful but unorthodox tactics.</para>
<table xmlns="http://docbook.org/ns/docbook">
    <title ism:classification="U" ism:ownerProducer="USA">Personnel Authorization</title>
    <tgroup cols="4">
        <colspec colnum="1" colname="004" colwidth="1*" />
        <colspec colnum="2" colname="005" colwidth="1*" />
        <colspec colnum="3" colname="002" colwidth="1*" />
        <colspec colnum="4" colname="003" colwidth="1*" />
        <thead>
            <row>
                <entry>Captains</entry>
                <entry>Ensigns</entry>
                <entry>Sergeants</entry>
                <entry>Privates</entry>
            </row>
        </thead>
        <tbody>
            <row>
                <entry>1</entry>
                <entry>1</entry>
                <entry>3</entry>
                <entry>60</entry>
            </row>
            <row>
                <entry>10 Shillings per day</entry>
                <entry>5 Shillings per day</entry>
                <entry>4 Shillings per day</entry>
                <entry>3 Shillings per day</entry>
            </row>
        </tbody>
    </tgroup>
</table>
<para xmlns="http://docbook.org/ns/docbook"
      ism:classification="U"
      ism:ownerProducer="USA">The Rangers wore distinctive green outfits and practiced tactics called "Rogers' Rules of Ranging," which
the British considered unconventional. Rogers hired men solely on merit and shocked regular commanders with his use of Indians and
freed slaves.</para>
```

```
<para xmlns="http://docbook.org/ns/docbook"
      ism:classification="U"
      ism:ownerProducer="USA">
  <emphasis role="bold">Rogers' Rules of Ranging:</emphasis>
  <orderedlist>
    <listitem>
      <para ism:classification="U" ism:ownerProducer="USA">All Rangers are to be subject to the rules and articles of war; to appear at roll- call every
evening, on their own parade, equipped, each with a Firelock, sixty rounds of powder and ball, and a hatchet, at which time
an officer from each company is to inspect the same, to see they are in order, so as to be ready on any emergency to march at
a minute's warning; and before they are dismissed, the necessary guards are to be draughted, and scouts for the next day
appointed.</para>
      </listitem>
      <listitem>
        <para ism:classification="U" ism:ownerProducer="USA">Whenever you are ordered out to the enemies forts or frontiers for discoveries, if your number be
small, march in a single file, keeping at such a distance from each other as to prevent one shot from killing two men,
sending one man, or more, forward, and the like on each side, at the distance of twenty yards from the main body, if the
ground you march over will admit of it, to give the signal to the officer of the approach of an enemy, and of their number,
&amp;c.</para>
        </listitem>
        <listitem>
          <para ism:classification="U" ism:ownerProducer="USA">If you march over marshes or soft ground, change your position, and march abreast of each other to
prevent the enemy from tracking you (as they would do if you marched in a single file) till you get over such ground, and
then resume your former order, and march till it is quite dark before you encamp, which do, if possible, on a piece of ground
which that may afford your centries the advantage of seeing or hearing the enemy some considerable distance, keeping one half
of your whole party awake alternately through the night.</para>
          </listitem>
          <listitem>
            <para ism:classification="U" ism:ownerProducer="USA">Some time before you come to the place you would reconnoitre, make a stand, and send one or two men
in whom you can confide, to look out the best ground for making your observations.</para>
            </listitem>
            <listitem>
              <para ism:classification="U" ism:ownerProducer="USA">If you have the good fortune to take any prisoners, keep them separate, till they are examined, and
in your return take a different route from that in which you went out, that you may the better discover any party in your
rear, and have an opportunity, if their strength be superior to yours, to alter your course, or disperse, as circumstances
may require.</para>
              </listitem>
              <listitem>
                <para ism:classification="U" ism:ownerProducer="USA">If you march in a large body of three or four hundred, with a design to attack the enemy, divide your
party into three columns, each headed by a proper officer, and let those columns march in single files, the columns to the
right and left keeping at twenty yards distance or more from that of the center, if the ground will admit, and let proper
guards be kept in the front and rear, and suitable flanking parties at a due distance as before directed, with orders to halt
on all eminences, to take a view of the surrounding ground, to prevent your being ambuscaded, and to notify the approach or
retreat of the enemy, that proper dispositions may be made for attacking, defending, &amp;c. And if the enemy approach in
your front on level ground, form a front of your three columns or main body with the advanced guard, keeping out your
flanking parties, as if you were marching under the command of trusty officers, to prevent the enemy from pressing hard on
either of your wings, or surrounding you, which is the usual method of the savages, if their number will admit of it, and be
careful likewise to support and strengthen your rear-guard.</para>
                </listitem>
                <listitem>
                  <para ism:classification="U" ism:ownerProducer="USA">If you are obliged to receive the enemy's fire, fall, or squat down, till it is over; then rise and
discharge at them. If their main body is equal to yours, extend yourselves occasionally; but if superior, be careful to
support and strengthen your flanking parties, to make them equal to theirs, that if possible you may repulse them to their
main body, in which case push upon them with the greatest resolution with equal force in each flank and in the center,
observing to keep at a due distance from each other, and advance from tree to tree, with one half of the party before the
```

other ten or twelve yards. If the enemy push upon you, let your front fire and fall down, and then let your rear advance thro' them and do the like, by which time those who before were in front will be ready to discharge again, and repeat the same alternately, as occasion shall require; by this means you will keep up such a constant fire, that the enemy will not be able easily to break your order, or gain your ground.</para>

</listitem>

<listitem>

<para ism:classification="U" ism:ownerProducer="USA">If you oblige the enemy to retreat, be careful, in your pursuit of them, to keep out your flanking parties, and prevent them from gaining eminences, or rising grounds, in which case they would perhaps be able to rally and repulse you in their turn.</para>

</listitem>

<listitem>

<para ism:classification="U" ism:ownerProducer="USA">If you are obliged to retreat, let the front of your whole party fire and fall back, till the rear hath done the same, making for the best ground you can; by this means you will oblige the enemy to pursue you, if they do it at all, in the face of a constant fire.</para>

</listitem>

<listitem>

<para ism:classification="U" ism:ownerProducer="USA">If the enemy is so superior that you are in danger of being surrounded by them, let the whole body disperse, and every one take a different road to the place of rendezvous appointed for that evening, which must every morning be altered and fixed for the evening ensuing, in order to bring the whole party, or as many of them as possible, together, after any separation that may happen in the day; but if you should happen to be actually surrounded, form yourselves into a square, or if in the woods, a circle is best, and, if possible, make a stand till the darkness of the night favours your escape.</para>

</listitem>

<listitem>

<para ism:classification="U" ism:ownerProducer="USA">If your rear is attacked, the main body and flankers must face about to the right or left, as occasion shall require, and form themselves to oppose the enemy, as before directed; and the same method must be observed, if attacked in either of your flanks, by which means you will always make a rear of one of your flank-guards.</para>

</listitem>

<listitem>

<para ism:classification="U" ism:ownerProducer="USA">If you determine to rally after a retreat, in order to make a fresh stand against the enemy, by all means endeavour to do it on the most rising ground you come at, which will give you greatly the advantage in point of situation, and enable you to repulse superior numbers.</para>

</listitem>

<listitem>

<para ism:classification="U" ism:ownerProducer="USA">In general, when pushed upon by the enemy, reserve your fire till they approach very near, which will then put them into the greatest surprize and consternation, and give you an opportunity of rushing upon them with your hatchets and cutlasses to the better advantage.</para>

</listitem>

<listitem>

<para ism:classification="U" ism:ownerProducer="USA">When you encamp at night, fix your centries in such a manner as not to be relieved from the main body till morning, profound secrecy and silence being often of the last importance in these cases. Each centry therefore should consist of six men, two of whom must be constantly alert, and when relieved by their fellows, it should be done without noise; and in case those on duty see or hear any thing, which alarms them, they are not to speak, but one of them is silently to retreat, and acquaint the commanding officer thereof, that proper dispositions may be made; and all occasional centries should be fixed in like manner.</para>

</listitem>

<listitem>

<para ism:classification="U" ism:ownerProducer="USA">At the first dawn of day, awake your whole detachment; that being the time when the savages the savages chuse to fall upon their enemies, you should by all means be in readiness to receive them.</para>

</listitem>

<listitem>

<para ism:classification="U" ism:ownerProducer="USA">If the enemy should be discovered by your detachments in the morning, and their numbers are superior to yours, and a victory doubtful, you should not attack them till the evening, as then they will not know your numbers, and if you are repulsed, your retreat will be favoured by the darkness of the night.</para>

</listitem>  
<listitem>  
    <para ism:classification="U" ism:ownerProducer="USA">Before you leave your encampment, send out small parties to scout round it, to see if there be any appearance or track of an enemy that might have been near you during the night.</para>  
</listitem>  
<listitem>  
    <para ism:classification="U" ism:ownerProducer="USA">When you stop for refreshment, chuse some spring or rivulet if you can, and dispose your party so as not to be surprised, posting proper guards and centries at a due distance, and let a small party waylay the path you came in, lest the enemy should be pursuing.</para>  
</listitem>  
<listitem>  
    <para ism:classification="U" ism:ownerProducer="USA">If, in your return, you have to cross rivers, avoid the usual fords as much as possible, lest the enemy should have discovered, and be there expecting you.</para>  
</listitem>  
<listitem>  
    <para ism:classification="U" ism:ownerProducer="USA">If you have to pass by lakes, keep at some distance from the edge of the water, lest, in case of an ambuscade or an attack from the enemy, when in that situation, your retreat should be cut off.</para>  
</listitem>  
<listitem>  
    <para ism:classification="U" ism:ownerProducer="USA">If the enemy pursue your rear, take a circle till you come to your own tracks, and there form an ambush to receive them, and give them the first fire.</para>  
</listitem>  
<listitem>  
    <para ism:classification="U" ism:ownerProducer="USA">When you return from a scout, and come near our forts, avoid the usual roads, and avenues thereto, lest the enemy should have headed you, and lay in ambush to receive you, when almost exhausted with fatigues.</para>  
</listitem>  
<listitem>  
    <para ism:classification="U" ism:ownerProducer="USA">When you pursue any party that has been near our forts or encampments, follow not directly in their tracks, lest they should be discovered by their rear guards, who, at such a time, would be most alert; but endeavour, by a different route, to head and meet them in some narrow pass, or lay in ambush to receive them when and where they least expect it.</para>  
</listitem>  
<listitem>  
    <para ism:classification="U" ism:ownerProducer="USA">If you are to embark in canoes, battoes, or otherwise, by water, chuse the evening for the time of your embarkation, as you will then have the whole night before you, to pass undiscovered by any parties of the enemy, on hills, or other places, which command a prospect of the lake or river you are upon.</para>  
</listitem>  
<listitem>  
    <para ism:classification="U" ism:ownerProducer="USA">In padling or rowing, give orders that the boat or canoe next the sternmost, wait for her, and the third for the second, and the fourth for the third, and so on, to prevent separation, and that you may be ready to assist each other on any emergency.</para>  
</listitem>  
<listitem>  
    <para ism:classification="U" ism:ownerProducer="USA">Appoint one man in each boat to look out for fires, on the adjacent shores, from the numbers and size of which you may form some judgment of the number that kindled them, and whether you are able to attack them or not.</para>  
</listitem>  
<listitem>  
    <para ism:classification="U" ism:ownerProducer="USA">If you find the enemy encamped near the banks of a river or lake, which you imagine they will attempt to cross for their security upon being attacked, leave a detachment of your party on the opposite shore to receive them, while, with the remainder, you surprize them, having them between you and the lake or river.</para>  
</listitem>  
<listitem>  
    <para ism:classification="U" ism:ownerProducer="USA">If you cannot satisfy yourself as to the enemy's number and strength, from their fire, &amp;c. conceal your boats at some distance, and ascertain their number by a reconnoitering party, when they embark, or march, in the

```

    morning, marking the course they steer, &amp;c. when you may pursue, ambush, and attack them, or let them pass, as prudence
    shall direct you. In general, however, that you may not be discovered by the enemy upon the lakes and rivers at a great
    distance, it is safest to lay by, with your boats and party concealed all day, without noise or shew; and to pursue your
    intended route by night; and whether you go by land or water, give out parole and countersigns, in order to know one another
    in the dark, and likewise appoint a station every man to repair to, in case of any accident that may separate you."</para>
    </listitem>
  </orderedlist>
</para>
<note xmlns="http://docbook.org/ns/docbook">
  <title ism:classification="U" ism:ownerProducer="USA">Attachments</title>
  <para ism:classification="U" ism:ownerProducer="USA">A sample uniform of one of the Rangers is being shipped by the courier AntiqueMovers in a special van to
preserve the uniform. The shipment id is AM-45897. The shippers contact number is (123) 345-7890.</para>
</note>
<simplesect xmlns="http://docbook.org/ns/docbook">
  <title ism:classification="U" ism:ownerProducer="USA">Bibliography</title>
  <bibliolist>
    <biblioentry>
      <abbrev>Major Rogers' Diary</abbrev>
      <title ism:classification="U" ism:ownerProducer="USA">Major Rogers' Diary</title>
      <author>
        <personname>Major Robert Rogers</personname>
      </author>
    </biblioentry>
  </bibliolist>
</simplesect>
</d:article>
```