

UNCLASSIFIED



# **ISM-CVEnums**

## **Controlled Vocabulary Enumeration Values for ISM**

---

**Version 2016-SEPr2018-APR  
Edition**

Publication date November 3, 2017

Target Approval Date: TBD, 2018

UNCLASSIFIED

**(U) Distribution Notice:**

(U) This document is being made available by the Intelligence Community Chief Information Officer to Federal, State, Local, Tribal, and Foreign Partners and associated contractors. Approval for any further distribution must be coordinated via the Intelligence Community Chief Information Officer, at [ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov).

UNCLASSIFIED

## Table of Contents

1. (U) CVEnumISM25X for ISM .....	1
(U) Descriptive information .....	1
(U) Permissible Values .....	1
2. (U) CVEnumISMatomicEnergyMarkings for ISM .....	5
(U) Descriptive information .....	5
(U) Permissible Values .....	5
3. (U) CVEnumISMAttributes for ISM .....	6
(U) Descriptive information .....	6
(U) Permissible Values .....	6
4. (U) CVEnumISMClassificationAll for ISM .....	8
(U) Descriptive information .....	8
(U) Permissible Values .....	8
5. (U) CVEnumISMClassificationUS for ISM .....	9
(U) Descriptive information .....	9
(U) Permissible Values .....	9
6. (U) CVEnumISMCompliesWith for ISM .....	10
(U) Descriptive information .....	10
(U) Permissible Values .....	10
7. (U) CVEnumISMDissem for ISM .....	11
(U) Descriptive information .....	11
(U) Permissible Values .....	11
8. (U) CVEnumISMElements for ISM .....	12
(U) Descriptive information .....	12
(U) Permissible Values .....	12
9. (U) CVEnumISMexemptFrom for ISM .....	13
(U) Descriptive information .....	13
(U) Permissible Values .....	13
10. (U) CVEnumISMNonIC for ISM .....	14
(U) Descriptive information .....	14
(U) Permissible Values .....	14
11. (U) CVEnumISMNonUSControls for ISM .....	15
(U) Descriptive information .....	15
(U) Permissible Values .....	15
12. (U) CVEnumISMNotice for ISM .....	16
(U) Descriptive information .....	16
(U) Permissible Values .....	16
13. (U) CVEnumISMPocType for ISM .....	18
(U) Descriptive information .....	18
(U) Permissible Values .....	18
14. (U) CVEnumISMSAR for ISM .....	19
(U) Descriptive information .....	19
(U) Permissible Values .....	19
15. (U) CVEnumISMSCIControls for ISM .....	20
(U) Descriptive information .....	20
(U) Permissible Values .....	20

## List of Tables

1. (U) CVEnumISM25X Values .....	1
2. (U) CVEnumISMatomicEnergyMarkings Patterns .....	5
3. (U) CVEnumISMatomicEnergyMarkings Values .....	5
4. (U) CVEnumISMAttributes Values .....	6
5. (U) CVEnumISMClassificationAll Values .....	8
6. (U) CVEnumISMClassificationUS Values .....	9
7. (U) CVEnumISMCompliesWith Values .....	10
8. (U) CVEnumISMDissem Values .....	11
9. (U) CVEnumISMElements Values .....	12
10. (U) CVEnumISMExemptFrom Values .....	13
11. (U) CVEnumISMNonIC Values .....	14
12. (U) CVEnumISMNonUSControls Values .....	15
13. (U) CVEnumISMNotice Values .....	16
14. (U) CVEnumISMPocType Values .....	18
15. (U) CVEnumISMSAR Values .....	19
16. (U) CVEnumISMSCIControls Values .....	20

**Chapter 1. (U) CVEnumISM25X for ISM****(U) Descriptive information**

- (U) Description: All currently authorized authority block declass date/event exemptions. This CVE is used by @ism:declassException.
- (U) Multiplicity: Single-Valued
- (U) URN: urn:us:gov:ic:cvenum:ism:25x
- (U) Created: 2012-01-04T02:15:00-04:00
- (U) Source: Marking Classified National Security Information Directive No. 1
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISM25X.xml

**Table 1. (U) CVEnumISM25X Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISM25X Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	AEA	(U) When using a source document that contains portions of Restricted Data (RD) or Formerly Restricted Data (FRD) where the RD/FRD source document(s) do not have declassification instructions, the derivatively classified document shall not contain a declassification date or event on the Declassify On line. The following shall be annotated on the Declassify On line: "Not Applicable or (N/A) to RD/FRD portions" and "See source list for NSI portions" separated by a period. The source list must include the declassification instruction for each of the source documents classified under E.O. 13526 and shall not appear in the classification authority block
(U)	(U)	NATO	(U) Since NATO information is not to be declassified or downgraded without the prior consent of NATO, the "Declassify on" line of documents that commingle information classified by NATO and U.S. classified NSI, will read "N/A to NATO portions. See source list for NSI portions." The NSI source list will appear beneath the classification authority block in a manner that clearly identifies it as separate and distinct.

This document is subject to distribution restrictions, see Distribution Notice for details.

The following table is classified UNCLASSIFIED.			
(U) CVEnumISM25X Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	NATO-AEA	(U) Handles special case of BOTH NATO and AEA as a single exemption.
(U)	(U)	25X1	(U) Reveal the identity of a confidential human source, a human intelligence source, a relationship with an intelligence or security service of a foreign government or international organization, or a non-human intelligence source; or impair the effectiveness of an intelligence method currently in use, available for use, or under development.
(U)	(U)	25X1-EO-12951	(U) "25X1, EO 12951" (prescribed by the DNI for use on information described in E.O. 12951, Release of Imagery Acquired by Space-Based National Intelligence Reconnaissance Systems)
(U)	(U)	25X2	(U) Reveal information that would assist in the development, production, or use of weapons of mass destruction.
(U)	(U)	25X3	(U) Reveal information that would impair U.S. cryptologic systems or activities.
(U)	(U)	25X4	(U) Reveal information that would impair the application of state-of-the-art technology within a U.S. weapon system.
(U)	(U)	25X5	(U) Reveal formally named or numbered U.S. military war plans that remain in effect, or reveal operational or tactical elements of prior plans that are contained in such active plans;
(U)	(U)	25X6	(U) Reveal information, including foreign government information, that would cause serious harm to relations between the United States and a foreign government, or to ongoing diplomatic activities of the United States
(U)	(U)	25X7	(U) Reveal information that would impair the current ability of United States Government officials to protect the President, Vice President, and other protectees for whom protection services, in the interest of the national security, are authorized.
(U)	(U)	25X8	(U) Reveal information that would seriously impair current national security emergency preparedness plans or reveal current vulnerabilities of systems, installations,

The following table is classified UNCLASSIFIED.			
(U) CVEnumISM25X Values			
Classification		Value	Documentation
Row	Value		
			or infrastructures relating to the national security.
(U)	(U)	25X9	(U) Violate a statute, treaty, or international agreement that does not permit the automatic or unilateral declassification of information at 25 years.
(U)	(U)	50X1	(U) The ISCAP has authorized use of this code in the FBI's classification guidance (which results in a 75-year classification period) for any agency sourcing/reusing the information.
(U)	(U)	50X1-HUM	(U) When the information clearly and demonstrably could be expected to reveal the identity of a confidential human source or a human intelligence source.
(U)	(U)	50X2	(U) Reveal information that would assist in the development, production, or use of weapons of mass destruction.
(U)	(U)	50X2-WMD	(U) When the information clearly and demonstrably could reveal key design concepts of weapons of mass destruction.
(U)	(U)	50X3	(U) Reveal information that would impair U.S. cryptologic systems or activities.
(U)	(U)	50X4	(U) Reveal information that would impair the application of state-of-the-art technology within a U.S. weapon system.
(U)	(U)	50X5	(U) Reveal formally named or numbered U.S. military war plans that remain in effect, or reveal operational or tactical elements of prior plans that are contained in such active plans;
(U)	(U)	50X6	(U) Reveal information, including foreign government information, that would cause serious harm to relations between the United States and a foreign government, or to ongoing diplomatic activities of the United States
(U)	(U)	50X7	(U) Reveal information that would impair the current ability of United States Government officials to protect the President, Vice President, and other protectees for whom protection services, in the interest of the national security, are authorized.
(U)	(U)	50X8	(U) Reveal information that would seriously impair current national security emergency

The following table is classified UNCLASSIFIED.			
(U) CVEnumISM25X Values			
Classification		Value	Documentation
Row	Value		
			preparedness plans or reveal current vulnerabilities of systems, installations, or infrastructures relating to the national security.
(U)	(U)	50X9	(U) Violate a statute, treaty, or international agreement that does not permit the automatic or unilateral declassification of information at 25 years.



**Chapter 2. (U) CVEnumISMatomicEnergyMarkings for ISM****(U) Descriptive information**

- (U) Description: All currently valid Atomic Energy information markings from the published register. This CVE is used by @ism:atomicEnergyMarkings.
- (U) Multiplicity: Multi-Valued Max Values: 1000
- (U) URN: urn:us:gov:ic:cvenum:ism:atomicEnergyMarkings
- (U) Created: 2011-02-04T00:22:00-04:00
- (U) Source: IC Systems Register and Manual
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMatomicEnergyMarkings.xml

**Table 2. (U) CVEnumISMatomicEnergyMarkings Patterns**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMatomicEnergyMarkings Values			
Classification		Pattern	Documentation
Row	Pattern		
(U)	(U)	RD-SG-((14) (15) (18) (20))	(U) RD-SIGMA-#, # represents the SIGMA number which may be 14, 15, 18, or 20.
(U)	(U)	FRD-SG-((14) (15) (18) (20))	(U) FRD-SIGMA-#, # represents the SIGMA number which may be 14, 15, 18, or 20.

**Table 3. (U) CVEnumISMatomicEnergyMarkings Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMatomicEnergyMarkings Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	RD	(U) RESTRICTED DATA
(U)	(U)	RD-CNWDI	(U) RD-CRITICAL NUCLEAR WEAPON DESIGN INFORMATION
(U)	(U)	FRD	(U) FORMERLY RESTRICTED DATA
(U)	(U)	DCNI	(U) DoD CONTROLLED NUCLEAR INFORMATION
(U)	(U)	UCNI	(U) DoE CONTROLLED NUCLEAR INFORMATION
(U)	(U)	TFNI	(U) TRANSCLASSIFIED FOREIGN NUCLEAR INFORMATION

**Chapter 3. (U) CVEnumISMAttributes for ISM****(U) Descriptive information**

- (U) Description: All currently authorized ISM attribute names. This file is not imported by the schema.
- (U) Multiplicity: Multi-Valued Max Values: 36
- (U) URN: urn:us:gov:ic:cvenum:ism:attributes
- (U) Created: 2010-05-30T16:52:00-04:00
- (U) Source: ISM schema
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMAttributes.xml

**Table 4. (U) CVEnumISMAttributes Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMAttributes Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	compliesWith	(U) compliesWith attribute
(U)	(U)	classification	(U) classification attribute
(U)	(U)	ownerProducer	(U) ownerProducer attribute
(U)	(U)	SCIcontrols	(U) SCIcontrols attribute
(U)	(U)	SARIdentifier	(U) SARIdentifier attribute
(U)	(U)	atomicEnergyMarkings	(U) atomicEnergyMarkings attribute
(U)	(U)	disseminationControls	(U) disseminationControls attribute
(U)	(U)	FGISourceOpen	(U) FGISourceOpen attribute
(U)	(U)	FGISourceProtected	(U) FGISourceProtected attribute
(U)	(U)	hasApproximateMarkings	(U) hasApproximateMarkings attribute
(U)	(U)	releasableTo	(U) releasableTo attribute
(U)	(U)	displayOnlyTo	(U) displayOnlyTo attribute
(U)	(U)	nonICmarkings	(U) nonICmarkings attribute
(U)	(U)	classifiedBy	(U) classifiedBy attribute
(U)	(U)	derivativelyClassifiedBy	(U) derivativelyClassifiedBy attribute
(U)	(U)	classificationReason	(U) classificationReason attribute
(U)	(U)	nonUSControls	(U) nonUSControls attribute
(U)	(U)	derivedFrom	(U) derivedFrom attribute
(U)	(U)	declassDate	(U) declassDate attribute
(U)	(U)	declassEvent	(U) declassEvent attribute

This document is subject to distribution restrictions, see Distribution Notice for details.

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMAttributes Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	declassException	(U) declassException attribute
(U)	(U)	resourceElement	(U) resourceElement attribute
(U)	(U)	excludeFromRollup	(U) excludeFromRollup attribute
(U)	(U)	createDate	(U) createDate attribute
(U)	(U)	compilationReason	(U) compilationReason attribute
(U)	(U)	noAggregation	(U) noAggregation attribute
(U)	(U)	noticeType	(U) noticeType attribute
(U)	(U)	externalNotice	(U) externalNotice attribute
(U)	(U)	DESVersion	(U) DESVersion attribute
(U)	(U)	ISMCACTCESVersion	(U) ISMCACTCESVersion attribute
(U)	(U)	noticeDate	(U) notice date attribute
(U)	(U)	noticeReason	(U) notice Reason attribute
(U)	(U)	exemptFrom	(U) exemptFrom attribute
(U)	(U)	unregisteredNoticeType	(U) unregisteredNoticeType attribute
(U)	(U)	pocType	(U) Specifies a point-of contact for a security-related requirement.
(U)	(U)	joint	(U) Indicator that multiple ownerProducers should be interpreted as JOINT.

**Chapter 4. (U) CVEnumISMClassificationAll for ISM****(U) Descriptive information**

- (U) Description: All currently valid classification marks. This CVE is used by @ism:classification.
- (U) Multiplicity: Single-Valued
- (U) URN: urn:us:gov:ic:cvenum:ism:classification:all
- (U) Created: 2010-05-31T21:22:00-04:00
- (U) Source: IC Systems Register and Manual
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMClassificationAll.xml

**Table 5. (U) CVEnumISMClassificationAll Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMClassificationAll Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	R	(U) RESTRICTED
(U)	(U)	C	(U) CONFIDENTIAL
(U)	(U)	S	(U) SECRET
(U)	(U)	TS	(U) TOP SECRET
(U)	(U)	U	(U) UNCLASSIFIED

**Chapter 5. (U) CVEnumISMClassificationUS for ISM****(U) Descriptive information**

- (U) Description: All currently valid US classification marks. This file is not imported by the schema.
- (U) Multiplicity: Single-Valued
- (U) URN: urn:us:gov:ic:cvenum:ism:classification:us
- (U) Created: 2010-03-12T11:29:00-04:00
- (U) Source: IC Systems Register and Manual
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMClassificationUS.xml

**Table 6. (U) CVEnumISMClassificationUS Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMClassificationUS Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	TS	(U) TOP SECRET
(U)	(U)	S	(U) SECRET
(U)	(U)	C	(U) CONFIDENTIAL
(U)	(U)	U	(U) UNCLASSIFIED

**Chapter 6. (U) CVEnumISMCompliesWith for ISM****(U) Descriptive information**

- (U) Description: ISM rule sets documents may comply with. This CVE is used by @ism:compliesWith.
- (U) Multiplicity: Multi-Valued Max Values: 4
- (U) URN: urn:us:gov:ic:cvenum:ism:complieswith
- (U) Created: 2010-05-30T16:52:00-04:00
- (U) Source: ISM schema
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMCompliesWith.xml

**Table 7. (U) CVEnumISMCompliesWith Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMCompliesWith Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	USGov	(U) Document claims compliance with all rules encoded in ISM for documents produced by the US Federal Government. This is the minimum set of rules for US documents to adhere to, and all US documents should claim compliance with USGov. For example, a US Intelligence Community document should claim ism:compliesWith="USGov USIC".
(U)	(U)	USIC	(U) Document claims compliance with all rules encoded in ISM for documents produced by the US Intelligence Community. Documents that claim compliance with USIC MUST also claim compliance with USGov.
(U)	(U)	USDOD	(U) Document claims compliance with all rules encoded in ISM for documents produced by the US Department of Defense. Documents that claim compliance with USDOD MUST also claim compliance with USGov.
(U)	(U)	OtherAuthority	(U) Document claims compliance with an authority other than the USGov, USIC, or USDOD. This token is not allowed if the ism:ownerProducer contains USA.

**Chapter 7. (U) CVEnumISMDissem for ISM****(U) Descriptive information**

- (U) Description: All currently valid Dissemination controls from the published register. This CVE is used by @ism:disseminationControls.
- (U) Multiplicity: Multi-Valued Max Values: 13
- (U) URN: urn:us:gov:ic:cvenum:ism:dissem
- (U) Created: 2012-01-04T00:14:00-04:00
- (U) Source: IC Systems Register and Manual
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMDissem.xml

**Table 8. (U) CVEnumISMDissem Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMDissem Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	RS	(U) RISK SENSITIVE
(U)	(U)	FOUO	(U) FOR OFFICIAL USE ONLY
(U)	(U)	OC	(U) ORIGINATOR CONTROLLED
(U)	(U)	OC-USGOV	(U) ORIGINATOR CONTROLLED US GOVERNMENT
(U)	(U)	IMC	(U) CONTROLLED IMAGERY
(U)	(U)	NF	(U) NOT RELEASABLE TO FOREIGN NATIONALS
(U)	(U)	PR	(U) CAUTION-PROPRIETARY INFORMATION INVOLVED
(U)	(U)	REL	(U) AUTHORIZED FOR RELEASE TO
(U)	(U)	RELIDO	(U) RELEASABLE BY INFORMATION DISCLOSURE OFFICIAL
(U)	(U)	EYES	(U) EYES ONLY (U) Deprecation Date:2017-11-01
(U)	(U)	DSEN	(U) DEA SENSITIVE
(U)	(U)	FISA	(U) FOREIGN INTELLIGENCE SURVEILLANCE ACT
(U)	(U)	DISPLAYONLY	(U) AUTHORIZED FOR DISPLAY BUT NOT RELEASE TO

**Chapter 8. (U) CVEnumISMElements for ISM****(U) Descriptive information**

- (U) Description: All currently authorized ISM element names
- (U) Multiplicity: Single-Valued
- (U) URN: urn:us:gov:ic:cvenum:ism:attributes
- (U) Created: 2011-04-15T15:16:00-05:00
- (U) Source: ISM schema
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMElements.xml

**Table 9. (U) CVEnumISMElements Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMElements Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	Notice	(U) Notice element
(U)	(U)	NoticeText	(U) NoticeText element
(U)	(U)	NoticeList	(U) NoticeList element
(U)	(U)	NoticeExternal	(U) NoticeExternal element
(U)	(U)	NoticeExternalList	(U) NoticeExternalList element



**Chapter 9. (U) CVEnumISMExemptFrom for ISM****(U) Descriptive information**

- (U) Description: Current rule set names that documents may comply with. This CVE is used by @ism:exemptFrom.
- (U) Multiplicity: Multi-Valued Max Values: 2
- (U) URN: urn:us:gov:ic:cvenum:ism:exemptfrom
- (U) Created: 2010-05-30T16:52:00-04:00
- (U) Source: ISM schema
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMExemptFrom.xml

**Table 10. (U) CVEnumISMExemptFrom Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMExemptFrom Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	IC_710_MANDATORY_FD&R	(U) Document claims exemption from ICD-710 rules mandating the use of Foreign Disclosure and Release markings that have been encoded in ISM. Currently, the requirement for FD&R is only mandatory for Disseminated Analytic Product; however, it is strongly encouraged otherwise.
(U)	(U)	DOD_DISTRO_STATEMENT	(U) Document claims exemption from the rules in DoD5230.24 requiring DoD Distribution Statements that have been encoded into ISM.

**Chapter 10. (U) CVEnumISMNonIC for ISM****(U) Descriptive information**

- (U) Description: All currently valid Non-IC markings from the published register. This CVE is used by @ism:nonICmarkings.
- (U) Multiplicity: Multi-Valued Max Values: 10
- (U) URN: urn:us:gov:ic:cvenum:ism:nonic
- (U) Created: 2012-01-04T00:14:00-04:00
- (U) Source: IC Systems Register and Manual
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMNonIC.xml

**Table 11. (U) CVEnumISMNonIC Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMNonIC Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	DS	(U) LIMITED DISTRIBUTION
(U)	(U)	XD	(U) EXCLUSIVE DISTRIBUTION
(U)	(U)	ND	(U) NO DISTRIBUTION
(U)	(U)	SBU	(U) SENSITIVE BUT UNCLASSIFIED
(U)	(U)	SBU-NF	(U) SENSITIVE BUT UNCLASSIFIED NOFORN
(U)	(U)	LES	(U) LAW ENFORCEMENT SENSITIVE
(U)	(U)	LES-NF	(U) LAW ENFORCEMENT SENSITIVE NOFORN
(U)	(U)	SSI	(U) SENSITIVE SECURITY INFORMATION
(U)	(U)	NNPI	(U) NAVAL NUCLEAR PROPULSION INFORMATION

**Chapter 11. (U) CVEnumISMNonUSControls for ISM****(U) Descriptive information**

- (U) Description: NonUS Control markings supported by ISM. This CVE is used by @ism:nonUSControls.
- (U) Multiplicity: Multi-Valued Max Values: 3
- (U) URN: urn:us:gov:ic:cvenum:ism:nonuscontrols
- (U) Created: 2010-06-06T20:11:00-04:00
- (U) Source: ISM schema
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMNonUSControls.xml

**Table 12. (U) CVEnumISMNonUSControls Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMNonUSControls Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	ATOMAL	(U) NATO Atomal mark
(U)	(U)	BOHEMIA	(U) NATO Bohemia mark
(U)	(U)	BALK	(U) NATO Balk mark

**Chapter 12. (U) CVEnumISMNotice for ISM****(U) Descriptive information**

- (U) Description: All currently authorized Notice values. This CVE is used by @ism:noticeType.
- (U) Multiplicity: Multi-Valued Max Values: 24
- (U) URN: urn:us:gov:ic:cvenum:ism:notice
- (U) Created: 2010-03-12T11:29:00-04:00
- (U) Source: DoD Instruction 5200.01; ISOO 32 CFR Parts 2001 and 2003; DoD Instruction 5230.24
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMNotice.xml

**Table 13. (U) CVEnumISMNotice Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMNotice Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	FISA	(U) FISA Warning statement
(U)	(U)	IMC	(U) IMCON Warning statement
(U)	(U)	CNWDI	(U) Controled Nuclear Weapon Design Information Warning statement
(U)	(U)	RD	(U) RD Warning statement
(U)	(U)	FRD	(U) FRD Warning statement
(U)	(U)	DS	(U) LIMDIS caveat
(U)	(U)	LES	(U) LES Notice
(U)	(U)	LES-NF	(U) LES-NF Notice
(U)	(U)	DSEN	(U) DSEN Notice
(U)	(U)	DoD-Dist-A	(U) DoD Distribution statement A from DoD Directive 5230.24
(U)	(U)	DoD-Dist-B	(U) DoD Distribution statement B from DoD Directive 5230.24
(U)	(U)	DoD-Dist-C	(U) DoD Distribution statement C from DoD Directive 5230.24
(U)	(U)	DoD-Dist-D	(U) DoD Distribution statement D from DoD Directive 5230.24
(U)	(U)	DoD-Dist-E	(U) DoD Distribution statement E from DoD Directive 5230.24
(U)	(U)	DoD-Dist-F	(U) DoD Distribution statement F from DoD Directive 5230.24
(U)	(U)	US-Person	(U) US Person info Notice

This document is subject to distribution restrictions, see Distribution Notice for details.

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMNotice Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	pre13526ORCON	(U) Indicates that an instance document must abide by rules pertaining to ORIGINATOR CONTROLLED data issued prior to Executive Order 13526.
(U)	(U)	POC	(U) Indicates that the contents of this notice specify the contact information for a required point-of-contact.
(U)	(U)	COMSEC	(U) COMSEC Notice
(U)	(U)	SSI	(U) Indicates that this is the notice for Sensitive Security Information
(U)	(U)	RSEN	(U) Risk Sensitive Notice
(U)	(U)	IMCON_RSEN	(U) Indicates SAT warning statements include IMCON and RSEN markings
(U)	(U)	GEOCAP	(U) GEOCAP Warning statement

**Chapter 13. (U) CVEnumISMPocType for ISM****(U) Descriptive information**

- (U) Description: All currently authorized types for ISM-related points-of-contact. This CVE is used by @ism:pocType.
- (U) Multiplicity: Multi-Valued Max Values: 7
- (U) URN: urn:us:gov:ic:cvenum:ism:pocType
- (U) Created: 2011-07-13T14:42:00-04:00
- (U) Source: DoD Directive 5230.24; ICD-710; Originator Controlled Memo, March 11, 2011
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMPocType.xml

**Table 14. (U) CVEnumISMPocType Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMPocType Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	ICD-710	(U) Point-of-contact for an ICD-710 notice.
(U)	(U)	DoD-Dist-B	(U) DoD Distribution statement B from DoD Directive 5230.24
(U)	(U)	DoD-Dist-C	(U) DoD Distribution statement C from DoD Directive 5230.24
(U)	(U)	DoD-Dist-D	(U) DoD Distribution statement D from DoD Directive 5230.24
(U)	(U)	DoD-Dist-E	(U) DoD Distribution statement E from DoD Directive 5230.24
(U)	(U)	DoD-Dist-F	(U) DoD Distribution statement F from DoD Directive 5230.24

**Chapter 14. (U) CVEnumISMSAR for ISM****(U) Descriptive information**

- (U) Description: All currently valid SAR controls from the published register. This CVE is used by @ism:SARIdentifier.
- (U) Multiplicity: Multi-Valued Max Values: 0
- (U) URN: urn:us:gov:ic:cvenum:ism:sar
- (U) Created: 2010-03-12T11:29:00-04:00
- (U) Source: IC Systems Register and Manual
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMSAR.xml

**Table 15. (U) CVEnumISMSAR Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMSAR Values			
Classification		Value	Documentation
Row	Value		
(U) No values in this CVE.			

**Chapter 15. (U) CVEnumISMSCIControls for ISM****(U) Descriptive information**

- (U) Description: All currently valid SCI controls from the published register. This CVE is used by @ism:SCIControls.
- (U) Multiplicity: Multi-Valued Max Values: 12
- (U) URN: urn:us:gov:ic:cvenum:ism:scicontrols
- (U) Created: 2017-10-20T22:21:38.129Z
- (U) Source: IC Systems Register and Manual
- (U) Point of contact:
  - Office IC CIO
  - E-mail: <[ic-standards-support@iarpa.gov](mailto:ic-standards-support@iarpa.gov)>

**(U) Permissible Values**

(U) The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMSCIControls.xml

**Table 16. (U) CVEnumISMSCIControls Values**

The following table is classified UNCLASSIFIED.			
(U) CVEnumISMSCIControls Values			
Classification		Value	Documentation
Row	Value		
(U)	(U)	HCS	(U) HCS
(U)	(U)	HCS-O	(U) HCS-O
(U)	(U)	HCS-P	(U) HCS-P
(U)	(U)	RSV	(U) RESERVE
(U)	(U)	SI	(U) SPECIAL INTELLIGENCE
(U)	(U)	SI-EU	(U) ECRU
(U)	(U)	SI-G	(U) SI-GAMMA
(U)	(U)	SI-NK	(U) NONBOOK
(U)	(U)	TK	(U) TALENT KEYHOLE
(U)	(U)	TK-BLFH	(U) BLUEFISH
(U)	(U)	TK-IDIT	(U) IDITAROD
(U)	(U)	TK-KAND	(U) KANDIK